


2021 | Product Data



UNILOCK®
PAVERS & WALLS

Ada Paver

CLASSIC



CHARCOAL



RED



STANDARD
11 $\frac{7}{8}$ x 11 $\frac{7}{8}$ x 2 $\frac{3}{4}$ "
300 x 300 x 70mm

SPECIAL ORDER

DRIVE FRIENDLY

Can handle vehicular loads

| Bundle Type | SINGLE |
|--------------------|----------------------------|
| Thickness (mm) | 70MM |
| Dimension mm | 300mm x 300mm x 70mm |
| Dimension Imperial | 11 7/8" x 11 7/8" x 2 3/4" |

| | | |
|----------|---------|----------|
| SQFT PER | Bundle | 93.04 |
| | Layer | 11.63000 |
| | Section | - |
| | Stone | 0.97 |

| | | |
|------------|----------|------|
| PER BUNDLE | Layers | 8.00 |
| | Sections | - |

| | | |
|------------------|---------|-------|
| SOLDIER LNFT PER | SqFt | 1.02 |
| | Section | - |
| | Layer | 11.81 |
| | Bundle | 94.49 |

| | | |
|-----------------|---------|-------|
| SAILOR LNFT PER | SqFt | 1.02 |
| | Section | - |
| | Layer | 11.81 |
| | Bundle | 94.49 |

| | | |
|-----------|---------|-------|
| UNITS PER | SqFt | 1.03 |
| | Section | - |
| | Bundle | 96.00 |

| | | |
|---------|---------|-------|
| LBS PER | Layer | 389 |
| | Section | - |
| | Bundle | 3,114 |

SPECIAL ORDER PRODUCT - NON-STOCK

Notes: Special Order - Lead time required. Minimum quantities apply. *SOLD IN FULL BUNDLES ONLY.
All measurements are nominal.

Internal Use Only. ADA CH

Anchorlock™

CLASSIC



NATURAL



STANDARD
8 $\frac{7}{8}$ x 8 $\frac{7}{8}$ x 3 $\frac{1}{8}$ "
225 x 225 x 80mm

SPECIAL ORDER

DRIVE FRIENDLY

Can handle vehicular loads

| Bundle Type | RANDOM |
|--------------------|--------------------------|
| Thickness (mm) | 80MM |
| Dimension mm | 225mm x 225mm x 80mm |
| Dimension Imperial | 8 7/8" x 8 7/8" x 3 1/8" |

| | | |
|----------|---------|----------|
| SQFT PER | Bundle | 86.72 |
| | Layer | 10.84000 |
| | Section | - |
| | Stone | 0.41 |

| | | |
|------------|----------|------|
| PER BUNDLE | Layers | 8.00 |
| | Sections | - |

| | | |
|------------------|---------|---|
| SOLDIER LNFT PER | SqFt | - |
| | Section | - |
| | Layer | - |
| | Bundle | - |

| | | |
|-----------------|---------|---|
| SAILOR LNFT PER | SqFt | - |
| | Section | - |
| | Layer | - |
| | Bundle | - |

| | | |
|-----------|---------|--------|
| UNITS PER | SqFt | 2.46 |
| | Section | - |
| | Bundle | 213.36 |

| | | |
|---------|---------|-------|
| LBS PER | Layer | 374 |
| | Section | - |
| | Bundle | 2,991 |

SPECIAL ORDER PRODUCT - NON-STOCK

Notes: Special Order from standard colors - Lead time required. Minimum quantities apply. *SOLD IN FULL BUNDLES ONLY. Each Bundle Includes: 208 Full Stones / 16 Half Stones 1/3 stones incorporated within the standard bundle. This product is optimized for mechanical installation.

Internal Use Only. ANC CH



CORVARA




LUGANO



MODENA



VIVANTO



X & T Slab Spacers
Bagged Separately
(see page 90)

| Bundle Type | SINGLE | SINGLE | SINGLE |
|--------------------|------------------------|------------------------|------------------------|
| | 24 x 24 | 18 x 24 | 12 x 24 |
| Thickness (mm) | 50MM | 50MM | 50MM |
| Dimension mm | 606mm x 606mm x 50mm | 453mm x 606mm x 50mm | 301mm x 606mm x 50mm |
| Dimension Imperial | 23 7/8" x 23 7/8" x 2" | 17 7/8" x 23 7/8" x 2" | 11 7/8" x 23 7/8" x 2" |



23 7/8 x 23 7/8 x 2"
606 x 606 x 50mm

| | | | | |
|----------|---------|---------|---------|---------|
| SQFT PER | Bundle | 72.00 | 54.00 | 36.00 |
| | Layer | 8.00000 | 6.00000 | 4.00000 |
| | Section | - | - | - |
| | Stone | 4.00 | 3.00 | 2.00 |



23 7/8 x 17 7/8 x 2"
606 x 453 x 50mm

| | | | | |
|------------|----------|------|------|------|
| PER BUNDLE | Layers | 9.00 | 9.00 | 9.00 |
| | Sections | - | - | - |



23 7/8 x 11 7/8 x 2"
606 x 301 x 50mm

| | | | | |
|------------------|---------|-------|-------|-------|
| SOLDIER LNFT PER | SqFt | 0.50 | 0.50 | 0.49 |
| | Section | - | - | - |
| | Layer | 3.98 | 2.97 | 1.98 |
| | Bundle | 35.79 | 26.75 | 17.78 |

| | | | | |
|-----------------|---------|-------|-------|-------|
| SAILOR LNFT PER | SqFt | 0.50 | 0.66 | 0.99 |
| | Section | - | - | - |
| | Layer | 3.98 | 3.98 | 3.98 |
| | Bundle | 35.79 | 35.79 | 35.79 |

| | | | | |
|-----------|---------|-------|-------|-------|
| UNITS PER | SqFt | 0.25 | 0.33 | 0.50 |
| | Section | - | - | - |
| | Bundle | 18.00 | 18.00 | 18.00 |

| | | | | |
|---------|---------|-------|-------|-----|
| LBS PER | Layer | 192 | 144 | 96 |
| | Section | - | - | - |
| | Bundle | 1,728 | 1,296 | 864 |

ADVANTAGES

EASYCLEAN™

Factory sealed to provide integral surface protection from stains

Notes: **SOLD IN FULL BUNDLES ONLY** and is produced and sold on a required and refundable skid. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. **Product is not intended for vehicular applications.** Please refer to the Polymeric Sand Best Practices on page 96 and Important Notice on page 99. All measurements are nominal. Unilock recommends to install Arcana using T and X Slab spacers - see page 90. Please contact your sales manager for more information.

Internal Use Only. ARC CH

Stocked at Aurora & Elkhorn (Transferable upon request to Tonganoxie)



BAVARIAN BLEND



FOSSIL



STEEL MOUNTAIN

| Bundle Type | RANDOM |
|--------------------|--------|
| Thickness (mm) | 70MM |
| Dimension mm | |
| Dimension Imperial | |

| | | |
|----------|---------|----------|
| SQFT PER | Bundle | 93.25 |
| | Layer | 11.66000 |
| | Section | - |
| | Stone | 0.49 |

| | | |
|------------|----------|------|
| PER BUNDLE | Layers | 8.00 |
| | Sections | - |

| | | |
|------------------|---------|---|
| SOLDIER LNFT PER | SqFt | - |
| | Section | - |
| | Layer | - |
| | Bundle | - |

| | | |
|-----------------|---------|---|
| SAILOR LNFT PER | SqFt | - |
| | Section | - |
| | Layer | - |
| | Bundle | - |

| | | |
|-----------|---------|--------|
| UNITS PER | SqFt | 2.06 |
| | Section | - |
| | Bundle | 192.00 |

| | | |
|---------|---------|-------|
| LBS PER | Layer | 370 |
| | Section | - |
| | Bundle | 2,963 |

7 UNIT RANDOM BUNDLE



6³/₈ x 4⁷/₈ x 2³/₄"
169 x 125 x 70mm
32 units/Bundle
.23 Sq.Ft./Stone



10³/₈ x 4⁷/₈ x 2³/₄"
263 x 125 x 70mm
32 units/Bundle
.35 Sq.Ft./Stone



13³/₈ x 4⁷/₈ x 2³/₄"
338 x 125 x 70mm
32 units/Bundle
.45 Sq.Ft./Stone



17³/₈ x 4⁷/₈ x 2³/₄"
450 x 125 x 70mm
32 units/Bundle
.61 Sq.Ft./Stone



8⁷/₈ x 7¹/₂ x 2³/₄"
225 x 188 x 70mm
32 units/Bundle
.45 Sq.Ft./Stone



13³/₈ x 7¹/₂ x 2³/₄"
338 x 188 x 70mm
16 units/Bundle
.68 Sq.Ft./Stone



17³/₈ x 7¹/₂ x 2³/₄"
450 x 188 x 70mm
16 units/Bundle
.91 Sq.Ft./Stone

ADVANTAGES

EASYCLEAN™

Factory sealed to provide integral surface protection from stains

DRIVE FRIENDLY

Can handle vehicular loads

Notes: **SOLD IN FULL BUNDLES ONLY** and is produced and sold on a required, refundable skid. **Important:** A urethane rubber paver mat must be used to prevent scuffing when compacting. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. ART ON



MIDNIGHT SKY



WINTER MARVEL

| Bundle Type | RANDOM |
|--------------------|--------|
| Thickness (mm) | 70MM |
| Dimension mm | |
| Dimension Imperial | |

| | | |
|----------|---------|----------|
| SQFT PER | Bundle | 93.25 |
| | Layer | 11.66000 |
| | Section | - |
| | Stone | - |

| | | |
|------------|----------|------|
| PER BUNDLE | Layers | 8.00 |
| | Sections | - |

| | | |
|------------------|---------|---|
| SOLDIER LNFT PER | SqFt | - |
| | Section | - |
| | Layer | - |
| | Bundle | - |

| | | |
|-----------------|---------|---|
| SAILOR LNFT PER | SqFt | - |
| | Section | - |
| | Layer | - |
| | Bundle | - |

| | | |
|-----------|---------|--------|
| UNITS PER | SqFt | 2.06 |
| | Section | - |
| | Bundle | 192.00 |

| | | |
|---------|---------|-------|
| LBS PER | Layer | 370 |
| | Section | - |
| | Bundle | 2,963 |

| 7 UNIT RANDOM BUNDLE | | | |
|--|---|---|---|
| | | | |
| 6¾ x 4⅞ x 2¾" 169 x 125 x 70mm 32 units/Bundle .23 Sq.Ft./Stone | 10⅝ x 4⅞ x 2¾" 263 x 125 x 70mm 32 units/Bundle .35 Sq.Ft./Stone | 13⅜ x 4⅞ x 2¾" 338 x 125 x 70mm 32 units/Bundle .45 Sq.Ft./Stone | 17¾ x 4⅞ x 2¾" 450 x 125 x 70mm 32 units/Bundle .61 Sq.Ft./Stone |
| | | | |
| 8⅞ x 7½ x 2¾" 225 x 188 x 70mm 32 units/Bundle .45 Sq.Ft./Stone | 13⅜ x 7½ x 2¾" 338 x 188 x 70mm 16 units/Bundle .68 Sq.Ft./Stone | 17¾ x 7½ x 2¾" 450 x 188 x 70mm 16 units/Bundle .91 Sq.Ft./Stone | |

ADVANTAGES

EASYCLEAN™

Factory sealed to provide integral surface protection from stains

COLORFUSION™

Subtly mottled color finish

DRIVE FRIENDLY

Can handle vehicular loads

Notes: **SOLD IN FULL BUNDLES ONLY** and is produced and sold on a required, refundable skid. **Important:** A urethane rubber paver mat must be used to prevent scuffing when compacting. All measurements are nominal. Contact Unilock for more information..

Internal Use Only. ART ON

Stocked at Aurora, Elkhorn, Marengo & Tonganoxie



BAVARIAN BLEND



GRANITE BLEND

| Bundle Type | RANDOM |
|--------------------|--------|
| Thickness (mm) | 70MM |
| Dimension mm | |
| Dimension Imperial | |

| | | |
|----------|---------|----------|
| SQFT PER | Bundle | 93.25 |
| | Layer | 11.66000 |
| | Section | - |
| | Stone | - |

| | | |
|------------|----------|------|
| PER BUNDLE | Layers | 8.00 |
| | Sections | - |

| | | |
|------------------|---------|---|
| SOLDIER LNFT PER | SqFt | - |
| | Section | - |
| | Layer | - |
| | Bundle | - |

| | | |
|-----------------|---------|---|
| SAILOR LNFT PER | SqFt | - |
| | Section | - |
| | Layer | - |
| | Bundle | - |

| | | |
|-----------|---------|--------|
| UNITS PER | SqFt | 2.06 |
| | Section | - |
| | Bundle | 192.00 |

| | | |
|---------|---------|-------|
| LBS PER | Layer | 370 |
| | Section | - |
| | Bundle | 2,963 |

| 7 UNIT RANDOM BUNDLE | | | |
|---|--|---|---|
|  |  |  |  |
| 6 3/4" x 4 7/8" x 2 3/4" 169 x 125 x 70mm 32 units/Bundle .23 Sq.Ft./Stone | 10 3/8" x 4 7/8" x 2 3/4" 263 x 125 x 70mm 32 units/Bundle .35 Sq.Ft./Stone | 13 3/8" x 4 7/8" x 2 3/4" 338 x 125 x 70mm 32 units/Bundle .45 Sq.Ft./Stone | 17 3/4" x 4 7/8" x 2 3/4" 450 x 125 x 70mm 32 units/Bundle .61 Sq.Ft./Stone |
|  |  |  | |
| 8 3/8" x 7 1/2" x 2 3/4" 225 x 188 x 70mm 32 units/Bundle .45 Sq.Ft./Stone | 13 3/8" x 7 1/2" x 2 3/4" 338 x 188 x 70mm 16 units/Bundle .68 Sq.Ft./Stone | 17 3/4" x 7 1/2" x 2 3/4" 450 x 188 x 70mm 16 units/Bundle .91 Sq.Ft./Stone | |

ADVANTAGES

BRUSHED FINISH

Graphically interesting etched lines

DRIVE FRIENDLY

Can handle vehicular loads

Notes: **SOLD IN FULL BUNDLES ONLY** and is produced and sold on a required, refundable skid. **Important:** A urethane rubber paver mat must be used to prevent scuffing when compacting. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. ART ON

Stocked at Aurora, Elkhorn, Marengo & Tonganoxie

Beacon Hill™ Flagstone 60mm

ENDURACOLOR™



ALPINE GREY



BAVARIAN BLEND



FOSSIL



OAKWOOD **NEW**

| Bundle Type | RANDOM | SINGLE |
|--------------------|-------------|----------------------------|
| | | XL UNIT |
| Thickness (mm) | 60MM | 60MM |
| Dimension mm | | 540mm x 900mm x 60mm |
| Dimension Imperial | | 21 1/4" x 35 1/2" x 2 3/8" |

| | | | |
|-----------------|---------|----------|----------|
| SQFT PER | Bundle | 104.60 | 104.60 |
| | Layer | 10.46000 | 10.46000 |
| | Section | - | - |
| | Stone | - | 5.23 |

| | | | |
|-------------------|----------|-------|-------|
| PER BUNDLE | Layers | 10.00 | 10.00 |
| | Sections | - | - |

| | | | |
|-------------------------|---------|---|-------|
| SOLDIER LNFT PER | SqFt | - | 0.34 |
| | Section | - | - |
| | Layer | - | 3.54 |
| | Bundle | - | 35.43 |

| | | | |
|------------------------|---------|-------|-------|
| SAILOR LNFT PER | SqFt | 0.85 | 0.56 |
| | Section | - | - |
| | Layer | 8.86 | 5.91 |
| | Bundle | 88.58 | 59.06 |

| | | | |
|------------------|---------|-------|-------|
| UNITS PER | SqFt | 0.76 | 0.19 |
| | Section | - | - |
| | Bundle | 80.00 | 20.00 |

| | | | |
|----------------|---------|-------|-------|
| LBS PER | Layer | 290 | 266 |
| | Section | - | - |
| | Bundle | 2,896 | 2,665 |

3 UNIT RANDOM BUNDLE



LARGE RECTANGLE
21 1/4 x 14 1/8 x 2 3/8"
540 x 360 x 60mm
20 units/Bundle
2.08 Sq.Ft./Stone



SQUARE
14 1/8 x 14 1/8 x 2 3/8"
360 x 360 x 60mm
30 units/Bundle
1.39 Sq.Ft./Stone



SMALL RECTANGLE
14 1/8 x 7 1/8 x 2 3/8"
360 x 180 x 60mm
30 units/Bundle
.69 Sq.Ft./Stone

XL UNIT SOLD SEPARATELY



XL UNIT
35 1/2 x 21 1/4 x 2 3/8"
900 x 540 x 60mm

ADVANTAGES

PEDESTRIAN FRIENDLY

Not recommended for vehicular use

Notes: **SOLD IN FULL BUNDLES ONLY** and is produced and sold on a required, refundable skid. This product is not intended for vehicular applications. **Important: A urethane rubber paver mat must be used to prevent scuffing when compacting.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. BHF CH

Stocked at Aurora, Elkhorn, Marengo & Tonganoxie



ALPINE GREY



BAVARIAN BLEND



FOSSIL

| Bundle Type | RANDOM |
|--------------------|--------|
| Thickness (mm) | 80MM |
| Dimension mm | |
| Dimension Imperial | |

| | | |
|----------|---------|----------|
| SQFT PER | Bundle | 73.22 |
| | Layer | 10.46000 |
| | Section | - |
| | Stone | - |

| | | |
|------------|----------|------|
| PER BUNDLE | Layers | 7.00 |
| | Sections | - |

| | | |
|------------------|---------|---|
| SOLDIER LNFT PER | SqFt | - |
| | Section | - |
| | Layer | - |
| | Bundle | - |

| | | |
|-----------------|---------|-------|
| SAILOR LNFT PER | SqFt | 0.85 |
| | Section | - |
| | Layer | 8.86 |
| | Bundle | 62.00 |

| | | |
|-----------|---------|-------|
| UNITS PER | SqFt | 0.76 |
| | Section | - |
| | Bundle | 56.00 |

| | | |
|---------|---------|-------|
| LBS PER | Layer | 362 |
| | Section | - |
| | Bundle | 2,534 |

3 UNIT RANDOM BUNDLE



LARGE RECTANGLE
 $21\frac{1}{4} \times 14\frac{1}{8} \times 3\frac{1}{8}"$
 540 x 360 x 80mm
 14 units/Bundle
 2.08 Sq.Ft./Stone



SQUARE
 $14\frac{1}{8} \times 14\frac{1}{8} \times 3\frac{1}{8}"$
 360 x 360 x 80mm
 21 units/Bundle
 1.39 Sq.Ft./Stone



SMALL RECTANGLE
 $14\frac{1}{8} \times 7\frac{1}{8} \times 3\frac{1}{8}"$
 360 x 180 x 80mm
 21 units/Bundle
 .69 Sq.Ft./Stone

ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads

Notes: **SOLD IN FULL BUNDLES ONLY** and is produced and sold on a required, refundable skid. **Important:** A urethane rubber paver mat must be used to prevent scuffing when compacting. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. BHF CH

Stocked at Aurora, Elkhorn, Marengo & Tonganoxie



BAVARIAN



FOSSIL



GRANITE FUSION



OPAL

| Bundle Type | RANDOM | SINGLE |
|--------------------|-------------|----------------------------|
| | | XL UNIT |
| Thickness (mm) | 60MM | 60MM |
| Dimension mm | | 540mm x 900mm x 60mm |
| Dimension Imperial | | 22 1/2" x 37 1/2" x 2 3/8" |

| | | | |
|-----------------|---------|----------|----------|
| SQFT PER | Bundle | 94.14 | 94.14 |
| | Layer | 10.46000 | 10.46000 |
| | Section | - | - |
| | Stone | - | 5.23 |

| | | | |
|-------------------|----------|------|------|
| PER BUNDLE | Layers | 9.00 | 9.00 |
| | Sections | - | - |

| | | | |
|-------------------------|---------|---|-------|
| SOLDIER LNFT PER | SqFt | - | 0.34 |
| | Section | - | - |
| | Layer | - | 3.54 |
| | Bundle | - | 31.89 |

| | | | |
|------------------------|---------|-------|-------|
| SAILOR LNFT PER | SqFt | 0.85 | 0.56 |
| | Section | - | - |
| | Layer | 8.86 | 5.91 |
| | Bundle | 79.72 | 53.15 |

| | | | |
|------------------|---------|-------|-------|
| UNITS PER | SqFt | - | 0.19 |
| | Section | - | - |
| | Bundle | 72.00 | 18.00 |

| | | | |
|----------------|---------|-------|-------|
| LBS PER | Layer | 290 | 293 |
| | Section | - | - |
| | Bundle | 2,606 | 2,636 |

3 UNIT RANDOM BUNDLE



LARGE RECTANGLE
15 x 22½ x 2⅜"
380 x 570 x 60mm
20 units/bundle
2.08 Sq.Ft/Stone




SQUARE
15 x 15 x 2⅜"
380 x 380 x 60mm
30 units/bundle
1.39 Sq.Ft/Stone



SMALL RECTANGLE
7½ x 15 x 2⅜"
190 x 380 x 60mm
30 units/bundle
.69 Sq.Ft/Stone

XL UNIT SOLD SEPARATELY



XL UNIT
22½ x 37½ x 2⅜"
570 x 950 x 60mm

ADVANTAGES

PEDESTRIAN FRIENDLY

Not recommended for vehicular use

Notes: **SOLD IN FULL BUNDLES ONLY** and is produced and sold on a required, refundable skid. This product is not intended for vehicular applications. **Important: A urethane rubber paver mat must be used to prevent scuffing when compacting.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. BHS CH

COMING IN 2021 - NEW SIZES



BAVARIAN



FOSSIL



GRANITE FUSION



OPAL

Chart info to be updated in NAV - coming soon

| Bundle Type | RANDOM | SINGLE |
|--------------------|-------------|----------------------------|
| | | XL UNIT |
| Thickness (mm) | 60MM | 60MM |
| Dimension mm | | 570mm x 950mm x 60mm |
| Dimension Imperial | | 22 1/2" x 37 1/2" x 2 3/8" |

| | | | |
|----------|---------|--|--|
| SQFT PER | Bundle | | |
| | Layer | | |
| | Section | | |
| | Stone | | |

| | | | |
|------------|----------|--|--|
| PER BUNDLE | Layers | | |
| | Sections | | |

| | | | |
|------------------|---------|--|--|
| SOLDIER LNFT PER | SqFt | | |
| | Section | | |
| | Layer | | |
| | Bundle | | |

| | | | |
|-----------------|---------|--|--|
| SAILOR LNFT PER | SqFt | | |
| | Section | | |
| | Layer | | |
| | Bundle | | |

| | | | |
|-----------|---------|--|--|
| UNITS PER | SqFt | | |
| | Section | | |
| | Bundle | | |

| | | | |
|---------|---------|--|--|
| LBS PER | Layer | | |
| | Section | | |
| | Bundle | | |

3 UNIT RANDOM BUNDLE



LARGE RECTANGLE
15 x 22½ x 2⅜"
380 x 570 x 60mm
20 units/bundle
2.331 Sq.Ft/Stone




SQUARE
15 x 15 x 2⅜"
380 x 380 x 60mm
30 units/bundle
1.554 Sq.Ft/Stone



SMALL RECTANGLE
7½ x 15 x 2⅜"
190 x 380 x 60mm
30 units/bundle
.77 Sq.Ft/Stone

XL UNIT SOLD SEPARATELY



XL UNIT
22½ x 37½ x 2⅜"
570 x 950 x 60mm

ADVANTAGES

PEDESTRIAN FRIENDLY

Not recommended for vehicular use

Notes: **SOLD IN FULL BUNDLES ONLY** and is produced and sold on a required, refundable skid. This product is not intended for vehicular applications. **Important: A urethane rubber paver mat must be used to prevent scuffing when compacting.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. BHS CH



BAVARIAN BLEND



FOSSIL **NEW**



STEEL MOUNTAIN

| Bundle Type | RANDOM | SINGLE |
|--------------------|-------------|----------------------------|
| | | XL UNIT |
| Thickness (mm) | 60MM | 60MM |
| Dimension mm | | 540mm x 900mm x 60mm |
| Dimension Imperial | | 21 1/4" x 35 1/2" x 2 3/8" |

| | | | |
|-----------------|---------|----------|----------|
| SQFT PER | Bundle | 104.60 | 104.60 |
| | Layer | 10.46000 | 10.46000 |
| | Section | - | - |
| | Stone | - | 5.23 |

| | | | |
|-------------------|----------|-------|-------|
| PER BUNDLE | Layers | 10.00 | 10.00 |
| | Sections | - | - |

| | | | |
|-------------------------|---------|---|-------|
| SOLDIER LNFT PER | SqFt | - | 0.34 |
| | Section | - | - |
| | Layer | - | 3.54 |
| | Bundle | - | 35.43 |

| | | | |
|------------------------|---------|-------|-------|
| SAILOR LNFT PER | SqFt | 0.85 | 0.56 |
| | Section | - | - |
| | Layer | 8.86 | 5.91 |
| | Bundle | 88.58 | 59.06 |

| | | | |
|------------------|---------|-------|-------|
| UNITS PER | SqFt | 0.76 | 0.19 |
| | Section | - | - |
| | Bundle | 80.00 | 20.00 |

| | | | |
|----------------|---------|-------|-------|
| LBS PER | Layer | 293 | 293 |
| | Section | - | - |
| | Bundle | 2,929 | 2,929 |

3 UNIT RANDOM BUNDLE



LARGE RECTANGLE
21 1/4" x 14 1/8" x 2 3/8"
540 x 360 x 60mm
20 units/Bundle
2.08 Sq.Ft./Stone



SQUARE
14 1/8" x 14 1/8" x 2 3/8"
360 x 360 x 60mm
30 units/Bundle
1.39 Sq.Ft./Stone



SMALL RECTANGLE
14 1/8" x 7 1/8" x 2 3/8"
360 x 180 x 60mm
30 units/Bundle
.69 Sq.Ft./Stone

XL UNIT SOLD SEPARATELY



XL UNIT
35 1/2" x 21 1/4" x 2 3/8"
900 x 540 x 60mm

ADVANTAGES

EASYSKID™

Factory sealed to provide integral surface protection from stains

PEDESTRIAN FRIENDLY

Not recommended for vehicular use

Notes: **SOLD IN FULL BUNDLES ONLY** and is produced and sold on a required, refundable skid. This product is not intended for vehicular applications. **Important: A urethane rubber paver mat must be used to prevent scuffing when compacting.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. BRV CH



BAVARIAN BLEND



COPPER RIDGE



FOSSIL **NEW**



STEEL MOUNTAIN

**SPECIAL ORDER
PRODUCT**

| Bundle Type | RANDOM |
|--------------------|-------------|
| Thickness (mm) | 80MM |
| Dimension mm | |
| Dimension Imperial | |

| | | |
|----------|---------|----------|
| SQFT PER | Bundle | 73.22 |
| | Layer | 10.46000 |
| | Section | - |
| | Stone | - |

| | | |
|------------|----------|------|
| PER BUNDLE | Layers | 7.00 |
| | Sections | - |

| | | |
|------------------|---------|---|
| SOLDIER LNFT PER | SqFt | - |
| | Section | - |
| | Layer | - |
| | Bundle | - |

| | | |
|-----------------|---------|-------|
| SAILOR LNFT PER | SqFt | 0.85 |
| | Section | - |
| | Layer | 8.86 |
| | Bundle | 62.01 |

| | | |
|-----------|---------|-------|
| UNITS PER | SqFt | 0.76 |
| | Section | - |
| | Bundle | 56.00 |

| | | |
|---------|---------|-------|
| LBS PER | Layer | 381 |
| | Section | - |
| | Bundle | 2,665 |

3 UNIT RANDOM BUNDLE



LARGE RECTANGLE
21¼ x 14⅞ x 3⅞"
540 x 360 x 80mm
14 units/Bundle
2.08 Sq.Ft./Stone



SQUARE
14⅞ x 14⅞ x 3⅞"
360 x 360 x 80mm
21 units/Bundle
1.39 Sq.Ft./Stone



SMALL RECTANGLE
14⅞ x 7⅞ x 3⅞"
360 x 180 x 80mm
21 units/Bundle
.69 Sq.Ft./Stone

ADVANTAGES

EASYCLEAN™

Factory sealed to provide integral surface protection from stains

DRIVE FRIENDLY

Can handle vehicular loads

Notes: *Special Order - Lead time is required, minimum quantities apply. SOLD IN FULL BUNDLES ONLY and is produced and sold on a required, refundable skid.

Important: A urethane rubber paver mat must be used to prevent scuffing when compacting. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. BRV CH

SPECIAL ORDER PRODUCT - NON-STOCK



COFFEE CREEK



LIMESTONE



RIVER



SANDSTONE



SIERRA

| Bundle Type | SINGLE | SINGLE | SINGLE |
|--------------------|---------------------------|--------------------------|----------------------|
| | XL STONE | STANDARD STONE | HALF STONE |
| Thickness (mm) | 70MM | 70MM | 70MM |
| Dimension mm | 208mm x 348mm x 70mm | 173mm x 208mm x 70mm | 104mm x 173mm x 70mm |
| Dimension Imperial | 8 1/4" x 13 3/4" x 2 3/4" | 6 7/8" x 8 1/4" x 2 3/4" | 4" x 6 7/8" x 2 3/4" |



XL STONE
13¾ x 8¼ x 2¾"
348 x 208 x 70mm

| | | | | |
|-----------------|---------|---------|----------|----------|
| SQFT PER | Bundle | 95.70 | 94.91 | 88.70 |
| | Layer | 9.57000 | 11.86000 | 11.09000 |
| | Section | 31.90 | 15.82 | 12.67 |
| | Stone | 0.80 | 0.40 | 0.20 |



STANDARD STONE
8¼ x 6⅞ x 2¾"
208 x 173 x 70mm

| | | | | |
|-------------------|----------|-------|------|------|
| PER BUNDLE | Layers | 10.00 | 8.00 | 8.00 |
| | Sections | 3.00 | 6.00 | 7.00 |

| | | | | |
|-------------------------|---------|-------|--------|--------|
| SOLDIER LNFT PER | SqFt | 0.86 | 1.44 | 1.72 |
| | Section | 27.30 | 22.70 | 21.84 |
| | Layer | 8.19 | 17.03 | 19.11 |
| | Bundle | 81.89 | 136.22 | 152.86 |



HALF STONE
6⅞ x 4 x 2¾"
173 x 104 x 70mm

| | | | | |
|------------------------|---------|--------|--------|--------|
| SAILOR LNFT PER | SqFt | 1.43 | 1.73 | 2.87 |
| | Section | 45.67 | 27.30 | 36.33 |
| | Layer | 13.70 | 20.47 | 31.78 |
| | Bundle | 137.01 | 163.78 | 254.28 |

| | | | | |
|------------------|---------|--------|--------|--------|
| UNITS PER | SqFt | 1.25 | 2.53 | 5.05 |
| | Section | 40.00 | 40.00 | 64.00 |
| | Bundle | 120.00 | 240.00 | 448.00 |

| | | | | |
|----------------|---------|-------|-------|-------|
| LBS PER | Layer | 311 | 389 | 358 |
| | Section | 1,037 | 518 | 409 |
| | Bundle | 3,112 | 3,110 | 2,865 |

ADVANTAGES

ANTIQUED FINISH

Distressed, timeworn finish

DRIVE FRIENDLY

Can handle vehicular loads

Notes: XL unit can also be used as a coping or step tread. Please see pages 74 & 75 for Brussels Fullnose and 6" x 12" Fullnose packaging information. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. BBK CH



ALPINE GREY




BAVARIAN BLEND




SYCAMORE

| Bundle Type | SINGLE | SINGLE | SINGLE |
|--------------------|---------------------------|--------------------------|----------------------|
| | XL STONE | STANDARD STONE | HALF STONE |
| Thickness (mm) | 70MM | 70MM | 70MM |
| Dimension mm | 208mm x 348mm x 70mm | 173mm x 208mm x 70mm | 104mm x 173mm x 70mm |
| Dimension Imperial | 8 1/4" x 13 3/4" x 2 3/4" | 6 7/8" x 8 1/4" x 2 3/4" | 4" x 6 7/8" x 2 3/4" |



XL STONE
13 3/4" x 8 1/4" x 2 3/4"
348 x 208 x 70mm

| | | | | |
|-----------------|---------|---------|----------|----------|
| SQFT PER | Bundle | 95.70 | 94.91 | 88.70 |
| | Layer | 9.57000 | 11.86000 | 11.09000 |
| | Section | - | - | - |
| | Stone | 0.80 | 0.40 | 0.20 |



STANDARD STONE
8 1/4" x 6 7/8" x 2 3/4"
208 x 173 x 70mm

| | | | | |
|-------------------|----------|-------|------|------|
| PER BUNDLE | Layers | 10.00 | 8.00 | 8.00 |
| | Sections | - | - | - |

| | | | | |
|-------------------------|---------|--------|--------|--------|
| SOLDIER LNFT PER | SqFt | 1.43 | 1.44 | 1.72 |
| | Section | - | - | - |
| | Layer | 13.70 | 17.03 | 19.11 |
| | Bundle | 137.01 | 136.22 | 152.86 |



HALF STONE
6 7/8" x 4" x 2 3/4"
173 x 104 x 70mm

| | | | | |
|------------------------|---------|-------|--------|--------|
| SAILOR LNFT PER | SqFt | 0.86 | 1.73 | 2.87 |
| | Section | - | - | - |
| | Layer | 8.19 | 20.47 | 31.78 |
| | Bundle | 81.89 | 163.78 | 254.28 |

| | | | | |
|------------------|---------|--------|--------|--------|
| UNITS PER | SqFt | 1.25 | 2.53 | 5.05 |
| | Section | - | - | - |
| | Bundle | 120.00 | 240.00 | 448.00 |

| | | | | |
|----------------|---------|-------|-------|-------|
| LBS PER | Layer | 314 | 392 | 362 |
| | Section | - | - | - |
| | Bundle | 3,137 | 3,139 | 2,900 |

ADVANTAGES

ANTIQUED FINISH

Distressed, timeworn finish

DRIVE FRIENDLY

Can handle vehicular loads

Notes: **SOLD IN FULL BUNDLES ONLY.** Important:

A urethane rubber paver mat must be used to prevent scuffing when compacting. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. BPR CH

Stocked at Aurora, Elkhorn & Tonganoxie



AUTUMN RED

CHARCOAL

SIERRA

| Bundle Type | | SINGLE |
|--------------------|--|--------------------------|
| Thickness (mm) | | 80MM |
| Dimension mm | | 160mm x 240mm x 80mm |
| Dimension Imperial | | 6 3/8" x 9 1/2" x 3 1/8" |

| | | |
|----------|---------|----------|
| SQFT PER | Bundle | 74.22 |
| | Layer | 12.37000 |
| | Section | - |
| | Stone | 0.41 |

| | | |
|------------|----------|------|
| PER BUNDLE | Layers | 6.00 |
| | Sections | - |

| | | |
|------------------|---------|-------|
| SOLDIER LNFT PER | SqFt | 1.27 |
| | Section | - |
| | Layer | 15.75 |
| | Bundle | 94.49 |

| | | |
|-----------------|---------|--------|
| SAILOR LNFT PER | SqFt | 1.91 |
| | Section | - |
| | Layer | 23.62 |
| | Bundle | 141.73 |

| | | |
|-----------|---------|--------|
| UNITS PER | SqFt | 2.43 |
| | Section | - |
| | Bundle | 180.00 |

| | | |
|---------|---------|-------|
| LBS PER | Layer | 458 |
| | Section | - |
| | Bundle | 2,749 |



RECTANGLE
9½ x 6⅜ x 3⅛"
240 x 160 x 80mm
SPECIAL ORDER

ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads

Notes: **Special Order - Lead time is required, minimum quantities apply. SOLD IN FULL BUNDLES ONLY.**
Important: A urethane rubber paver mat must be used to prevent scuffing when compacting.
All measurements are nominal. Contact Unilock for more information.

Internal Use Only. CAM CH

SPECIAL ORDER PRODUCT - NON-STOCK



BURGUNDY RED



BURNT CLAY



OLD OAK



BASALT



STEEL BLUE



BURGUNDY RED/
BURNT CLAY/OLD OAK
Sold Separately/
Blended on Site

| Bundle Type | SINGLE |
|--------------------|--------------------------|
| Thickness (mm) | 60MM |
| Dimension mm | 65mm x 200mm x 60mm |
| Dimension Imperial | 2 5/8" x 7 7/8" x 2 3/8" |

| SQFT PER | Bundle | 89.20 |
|----------|---------|----------|
| | Layer | 11.15000 |
| | Section | - |
| | Stone | 0.15 |

| PER BUNDLE | Layers | 8.00 |
|------------|----------|------|
| | Sections | - |

| SOLDIER LNFT PER | SqFt | 1.43 |
|------------------|---------|--------|
| | Section | - |
| | Layer | 15.99 |
| | Bundle | 127.95 |

| SAILOR LNFT PER | SqFt | 4.41 |
|-----------------|---------|--------|
| | Section | - |
| | Layer | 49.21 |
| | Bundle | 393.70 |

| UNITS PER | SqFt | 6.73 |
|-----------|---------|--------|
| | Section | - |
| | Bundle | 600.00 |

| LBS PER | Layer | 294 |
|---------|---------|-------|
| | Section | - |
| | Bundle | 2,349 |



STANDARD
7 7/8" x 2 5/8" x 2 3/8"
200 x 65 x 60mm

ADVANTAGES

REALA™

Cast from historic street pavers

ULTIMA™

Up to 4x stronger than
poured-in-place concrete

DRIVE FRIENDLY

Can handle vehicular loads

Notes: **SOLD IN FULL BUNDLES ONLY** and is produced and sold on a required, refundable skid. **Important: A urethane rubber paver mat must be used to prevent scuffing when compacting. Please refer to the Polymeric Sand Best Practices on page 96.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. ART NY

Stocked at Aurora, Elkhorn & Tonganoxie



BASALT



BELGIAN BLUE



DAWN MIST



PEBBLE TAUPE



BASALT/ BELGIAN BLUE
Sold Separately/
Blended on Site



DAWN MIST/ PEBBLE TAUPE
Sold Separately/
Blended on Site

| Bundle Type | | RANDOM |
|--------------------|--|--------|
| | | |
| Thickness (mm) | | 60MM |
| Dimension mm | | |
| Dimension Imperial | | |

| | | |
|----------|---------|----------|
| SQFT PER | Bundle | 98.30 |
| | Layer | 12.29000 |
| | Section | - |
| | Stone | - |

| | | |
|------------|----------|------|
| PER BUNDLE | Layers | 8.00 |
| | Sections | - |

| | | |
|------------------|---------|---|
| SOLDIER LNFT PER | SqFt | - |
| | Section | - |
| | Layer | - |
| | Bundle | - |

| | | |
|-----------------|---------|--------|
| SAILOR LNFT PER | SqFt | 2.25 |
| | Section | - |
| | Layer | 27.69 |
| | Bundle | 221.52 |

| | | |
|-----------|---------|--------|
| UNITS PER | SqFt | 3.91 |
| | Section | - |
| | Bundle | 384.00 |

| | | |
|---------|---------|-------|
| LBS PER | Layer | 291 |
| | Section | - |
| | Bundle | 2,326 |

5 UNIT RANDOM BUNDLE



XL RECTANGLE
8 $\frac{3}{8}$ x 5 $\frac{1}{8}$ x 2 $\frac{3}{8}$ "
215 x 130 x 60mm
128 units/Bundle
.30 Sq.Ft./Stone



LARGE RECTANGLE
7 $\frac{1}{4}$ x 5 $\frac{1}{8}$ x 2 $\frac{3}{8}$ "
185 x 130 x 60mm
64 units/Bundle
.26 Sq.Ft./Stone



RECTANGLE
6 $\frac{1}{2}$ x 5 $\frac{1}{8}$ x 2 $\frac{3}{8}$ "
165 x 130 x 60mm
64 units/Bundle
.23 Sq.Ft./Stone



SMALL RECTANGLE
5 $\frac{3}{4}$ x 5 $\frac{1}{8}$ x 2 $\frac{3}{8}$ "
145 x 130 x 60mm
64 units/Bundle
.20 Sq.Ft./Stone



SQUARE
5 $\frac{1}{8}$ x 5 $\frac{1}{8}$ x 2 $\frac{3}{8}$ "
130 x 130 x 60mm
64 units/Bundle
.18 Sq.Ft./Stone

ADVANTAGES

REALA™

Cast from historic European cobblestones

ULTIMA™

Up to 4x stronger than poured-in-place concrete

DRIVE FRIENDLY

Can handle vehicular loads

Notes: **SOLD IN FULL BUNDLES ONLY** and is produced and sold on a required, refundable skid. **Important:** A urethane rubber paver mat must be used to prevent scuffing when compacting. Please refer to the Polymeric Sand Best Practices on page 96. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. ART NY


Stocked at Aurora, Elkhorn & Tonganoxie




STANDARD FINISH




PREMIER FINISH



IL CAMPO FINISH



SERIES™ FINISH



UMBRIANO® FINISH

**SPECIAL ORDER
PRODUCT**

| Bundle Type | RANDOM |
|--------------------|--------|
| Thickness (mm) | 100MM |
| Dimension mm | |
| Dimension Imperial | |

| | | |
|----------|---------|----------|
| SQFT PER | Bundle | 55.17 |
| | Layer | 11.03000 |
| | Section | - |
| | Stone | 0.34 |

| | | |
|------------|----------|------|
| PER BUNDLE | Layers | 5.00 |
| | Sections | - |

| | | |
|------------------|---------|---|
| SOLDIER LNFT PER | SqFt | - |
| | Section | - |
| | Layer | - |
| | Bundle | - |

| | | |
|-----------------|---------|---|
| SAILOR LNFT PER | SqFt | - |
| | Section | - |
| | Layer | - |
| | Bundle | - |

| | | |
|-----------|---------|--------|
| UNITS PER | SqFt | 2.90 |
| | Section | - |
| | Bundle | 160.00 |

| | | |
|---------|---------|-------|
| LBS PER | Layer | 513 |
| | Section | - |
| | Bundle | 2,564 |

8 UNIT RANDOM BUNDLE



14 x 3⁵/₁₆ x 3⁷/₈"
357 x 84 x 100mm
20 units/Bundle
.32 Sq.Ft./Stone



12¹/₂ x 3⁵/₁₆ x 3⁷/₈"
317 x 84 x 100mm
20 units/Bundle
.29 Sq.Ft./Stone



11 x 3⁵/₁₆ x 3⁷/₈"
277 x 84 x 100mm
20 units/Bundle
.25 Sq.Ft./Stone



9³/₈ x 3⁵/₁₆ x 3⁷/₈"
237 x 84 x 100mm
20 units/Bundle
.21 Sq.Ft./Stone



14 x 4¹/₂ x 3⁷/₈"
357 x 114 x 100mm
20 units/Bundle
.44 Sq.Ft./Stone



12¹/₂ x 4¹/₂ x 3⁷/₈"
317 x 114 x 100mm
20 units/Bundle
.39 Sq.Ft./Stone



11 x 4¹/₂ x 3⁷/₈"
277 x 114 x 100mm
20 units/Bundle
.34 Sq.Ft./Stone



9³/₈ x 4¹/₂ x 3⁷/₈"
237 x 114 x 100mm
20 units/Bundle
.29 Sq.Ft./Stone

ADVANTAGES

PERMEABLE

Can be installed to allow water to flow through

DRIVE FRIENDLY

Can handle vehicular loads

Notes: **Special Order - Lead time is required, minimum quantities apply. SOLD IN FULL BUNDLES ONLY** and is produced and sold on a required, refundable skid. Custom finish and color options are available. * Weights and Square Feet may vary depending on plant of manufacture and finish. **Important: A urethane rubber paver mat must be used to prevent scuffing when compacting.** This product is optimized for mechanical installation. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. EOL CH


SPECIAL ORDER PRODUCT - NON-STOCK




STANDARD FINISH




PREMIER FINISH



IL CAMPO FINISH



SERIES™ FINISH



UMBRIANO® FINISH

**SPECIAL ORDER
PRODUCT**

| Bundle Type | SINGLE |
|--------------------|--------------------------|
| Thickness (mm) | 80MM |
| Dimension mm | 250mm x 250mm x 80mm |
| Dimension Imperial | 9 7/8" x 9 7/8" x 3 1/8" |



STANDARD
9 7/8" x 9 7/8" x 3 1/8"
250 x 250 x 80mm

| | | |
|----------|---------|----------|
| SQFT PER | Bundle | 84.80 |
| | Layer | 10.60000 |
| | Section | - |
| | Stone | 0.50 |

| | | |
|------------|----------|------|
| PER BUNDLE | Layers | 8.00 |
| | Sections | - |

| | | |
|------------------|---------|---|
| SOLDIER LNFT PER | SqFt | - |
| | Section | - |
| | Layer | - |
| | Bundle | - |

| | | |
|-----------------|---------|---|
| SAILOR LNFT PER | SqFt | - |
| | Section | - |
| | Layer | - |
| | Bundle | - |

| | | |
|-----------|---------|--------|
| UNITS PER | SqFt | 1.98 |
| | Section | - |
| | Bundle | 168.00 |

| | | |
|---------|---------|-------|
| LBS PER | Layer | 363 |
| | Section | - |
| | Bundle | 2,908 |

ADVANTAGES

PERMEABLE

Can be installed to allow water to flow through

DRIVE FRIENDLY

Can handle vehicular loads

Notes: Most standard colors are available by special order only and subject to minimum quantities. Contact your representative for details. This product is optimized for mechanical installation. **SOLD IN FULL BUNDLES ONLY** and is shipped on a refundable skid. All measurements are nominal. **Important:** Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing when compacting. Contact Unilock for information.

Internal Use Only. EOP CH


SPECIAL ORDER PRODUCT - NON-STOCK



RIVER
(SMOOTH CLASSIC)



SIERRA
(SMOOTH CLASSIC)



GRANITE **NEW**
(SMOOTH ENDURACOLOR)



SABLE BLEND
(SMOOTH ENDURACOLOR)



RECTANGLE
9½ x 4¾ x 3⅞"
240 x 120 x 80mm

ADVANTAGES

PERMEABLE

Can be installed to allow water to flow through loads

DRIVE FRIENDLY

Can handle vehicular loads

* SPECIAL ORDER

* SPECIAL ORDER

* SPECIAL ORDER

| Bundle Type | SINGLE | SINGLE | SINGLE | SINGLE | SINGLE |
|--------------------|--------------------------|--------------------------|----------------------------|--------------------------|--------------------------|
| | SMOOTH CLASSIC | SMOOTH ENDURACOLOR | SMOOTH CLASSIC HERRINGBONE | SMOOTH EC HERRINGBONE | IL CAMPO EC HERRINGBONE |
| Thickness (mm) | 80MM | 80MM | 80MM | 80MM | 80MM |
| Dimension mm | 120mm x 240mm x 80mm | 120mm x 240mm x 80mm | 120mm x 240mm x 80mm | 120mm x 240mm x 80mm | 120mm x 240mm x 80mm |
| Dimension Imperial | 4 3/4" x 9 1/2" x 3 1/8" | 4 3/4" x 9 1/2" x 3 1/8" | 4 3/4" x 9 1/2" x 3 1/8" | 4 3/4" x 9 1/2" x 3 1/8" | 4 3/4" x 9 1/2" x 3 1/8" |

| | | | | | | |
|----------|---------|----------|----------|----------|----------|----------|
| SQFT PER | Bundle | 75.95 | 75.95 | 75.95 | 75.95 | 75.95 |
| | Layer | 10.85000 | 10.85000 | 10.85000 | 10.85000 | 10.85000 |
| | Section | - | - | - | - | - |
| | Stone | 0.31 | 0.31 | 0.31 | 0.31 | 0.31 |

| | | | | | | |
|------------|----------|------|------|------|------|------|
| PER BUNDLE | Layers | 7.00 | 7.00 | 7.00 | 7.00 | 7.00 |
| | Sections | | | | | |

| | | | | | | |
|------------------|---------|-------|-------|-------|-------|-------|
| SOLDIER LNFT PER | SqFt | 1.27 | 1.27 | 1.27 | 1.27 | 1.27 |
| | Section | | | | | |
| | Layer | 13.78 | 13.78 | 13.78 | 13.78 | 13.78 |
| | Bundle | 96.46 | 96.46 | 96.46 | 96.46 | 96.46 |

| | | | | | | |
|-----------------|---------|--------|--------|--------|--------|--------|
| SAILOR LNFT PER | SqFt | 2.54 | 2.54 | 2.25 | 2.25 | 2.25 |
| | Section | | | | | |
| | Layer | 27.56 | 27.56 | 24.41 | 24.41 | 24.41 |
| | Bundle | 192.91 | 192.91 | 170.87 | 170.87 | 170.87 |

| | | | | | | |
|-----------|---------|--------|--------|--------|--------|--------|
| UNITS PER | SqFt | 3.23 | 3.23 | 3.23 | 3.23 | 3.23 |
| | Section | | | | | |
| | Bundle | 245.00 | 245.00 | 245.00 | 245.00 | 245.00 |

| | | | | | | |
|---------|---------|-------|-------|-------|-------|-------|
| LBS PER | Layer | 381 | 381 | 381 | 381 | 381 |
| | Section | | | | | |
| | Bundle | 2,669 | 2,669 | 2,669 | 2,669 | 2,669 |

Stocked at Aurora, Elkhorn & Tonganoxie


Internal Use Only. EPA CH

Notes: * Special Order - Lead time is required, minimum quantities apply. **SOLD IN FULL BUNDLES ONLY** and sold on a required, refundable skid. Custom colors in multiple finishes available by SPECIAL ORDER.


Important: A urethane rubber paver mat must be used to prevent scuffing when compacting. All measurements are nominal. Contact Unilock for more information.




PREMIER FINISH



IL CAMPO FINISH



SERIES FINISH



UMBRIANO FINISH



STANDARD
1 1/8" x 3 x 3/8"
300 x 75 x 100mm

**SPECIAL ORDER
PRODUCT**

ADVANTAGES

PERMEABLE

Can be installed to allow water to flow through

DRIVE FRIENDLY

Can handle vehicular loads

| Bundle Type | SINGLE | SINGLE | SINGLE | SINGLE |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | SMOOTH CLASSIC | SMOOTH ENDURACOLOR | EXPOSED ENDURACOLOR | ENDURACOLOR UMBRIANO |
| Thickness (mm) | 100MM | 100MM | 100MM | 100MM |
| Dimension mm | 75mm x 300mm x 100mm | 75mm x 300mm x 100mm | 75mm x 300mm x 100mm | 75mm x 300mm x 100mm |
| Dimension Imperial | 3" x 11 7/8" x 3 7/8" | 3" x 11 7/8" x 3 7/8" | 3" x 11 7/8" x 3 7/8" | 3" x 11 7/8" x 3 7/8" |

| | | | | | |
|----------|---------|----------|----------|----------|----------|
| SQFT PER | Bundle | 63.94 | 63.94 | 63.94 | 53.28 |
| | Layer | 10.66000 | 10.66000 | 10.66000 | 10.66000 |
| | Section | - | - | - | - |
| | Stone | 0.24 | 0.24 | 0.24 | 0.24 |

| | | | | | |
|------------|----------|------|------|------|------|
| PER BUNDLE | Layers | 6.00 | 6.00 | 6.00 | 5.00 |
| | Sections | | | | - |

| | | | | | |
|------------------|---------|-------|-------|-------|-------|
| SOLDIER LNFT PER | SqFt | 1.02 | 1.02 | 1.02 | 1.02 |
| | Section | | | | - |
| | Layer | 10.83 | 10.83 | 10.83 | 10.83 |
| | Bundle | 64.96 | 64.96 | 64.96 | 54.13 |

| | | | | | |
|-----------------|---------|--------|--------|--------|--------|
| SAILOR LNFT PER | SqFt | 4.06 | 4.06 | 4.06 | 4.06 |
| | Section | | | | - |
| | Layer | 43.31 | 43.31 | 43.31 | 43.31 |
| | Bundle | 259.84 | 259.84 | 259.84 | 216.54 |

| | | | | | |
|-----------|---------|--------|--------|--------|--------|
| UNITS PER | SqFt | 4.13 | 4.13 | 4.13 | 4.13 |
| | Section | | | | - |
| | Bundle | 264.00 | 264.00 | 264.00 | 220.00 |

| | | | | | |
|---------|---------|-------|-------|-------|-------|
| LBS PER | Layer | 465 | 465 | 465 | 488 |
| | Section | | | | - |
| | Bundle | 2,789 | 2,789 | 2,789 | 2,439 |

SPECIAL ORDER PRODUCT - NON-STOCK

Internal Use Only. EOP CH

Notes: *Special Order - Lead time is required, minimum quantities apply. SOLD IN FULL BUNDLES ONLY and is shipped on a refundable skid. Contact your representative for details. This product is optimized for mechanical installation. All measurements are nominal. Important: Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing when compacting. Contact Unilock for information.



NOTTE



SABIA

| Bundle Type | SINGLE |
|--------------------|--------------------------|
| Thickness (mm) | 70MM |
| Dimension mm | 200mm x 200mm x 70mm |
| Dimension Imperial | 7 7/8" x 7 7/8" x 2 3/4" |

| | | |
|----------|---------|---------|
| SQFT PER | Bundle | 73.92 |
| | Layer | 9.24000 |
| | Section | - |
| | Stone | 0.39 |

| | | |
|------------|----------|------|
| PER BUNDLE | Layers | 8.00 |
| | Sections | - |

| | | |
|------------------|---------|---|
| SOLDIER LNFT PER | SqFt | - |
| | Section | - |
| | Layer | - |
| | Bundle | - |

| | | |
|-----------------|---------|---|
| SAILOR LNFT PER | SqFt | - |
| | Section | - |
| | Layer | - |
| | Bundle | - |

| | | |
|-----------|---------|--------|
| UNITS PER | SqFt | 2.60 |
| | Section | - |
| | Bundle | 192.00 |

| | | |
|---------|---------|-------|
| LBS PER | Layer | 306 |
| | Section | - |
| | Bundle | 2,450 |



HEX
7 7/8 x 7 7/8 x 2 3/4"
200 x 200 x 70mm

ADVANTAGES

EASYCLEAN™
Factory sealed to provide integral surface protection from stains

ARTISTA™
Boldly mottled color finish

DRIVE FRIENDLY
Can handle vehicular loads

Notes: **SOLD IN FULL BUNDLES ONLY** and is produced and sold on a required, refundable skid. **Important: A urethane rubber paver mat must be used to prevent scuffing when compacting.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. GRN CH

Stocked at Aurora, Elkhorn, & Tonganoxie



AUTUMN RED



CHARCOAL



RIVER



RUSTIC RED



SIERRA

SPECIAL ORDER

SPECIAL ORDER

| Bundle Type | SINGLE | SINGLE | SINGLE |
|--------------------|--------------------------|--------------------------|--------------------------|
| | | * 8CM HERRINGBONE | * 8CM |
| Thickness (mm) | 60MM | 80MM | 80MM |
| Dimension mm | 100mm x 200mm x 60mm | 100mm x 200mm x 80mm | 100mm x 200mm x 80mm |
| Dimension Imperial | 3 7/8" x 7 7/8" x 2 3/8" | 3 7/8" x 7 7/8" x 3 1/8" | 3 7/8" x 7 7/8" x 3 1/8" |



STANDARD
7 7/8" x 3 7/8" x 2 3/8"
200 x 100 x 60mm

| | | | | |
|----------|---------|----------|----------|----------|
| SQFT PER | Bundle | 118.00 | 82.50 | 82.60 |
| | Layer | 11.80000 | 11.79000 | 11.80000 |
| | Section | 19.67 | - | - |
| | Stone | 0.22 | 0.22 | 0.22 |

| | | | | |
|------------|----------|-------|------|------|
| PER BUNDLE | Layers | 10.00 | 7.00 | 7.00 |
| | Sections | - | - | - |

| | | | | |
|------------------|---------|--------|--------|--------|
| SOLDIER LNFT PER | SqFt | 1.50 | 1.50 | 1.50 |
| | Section | 29.53 | - | - |
| | Layer | 17.72 | 17.72 | 17.71 |
| | Bundle | 177.17 | 124.02 | 124.00 |

| | | | | |
|-----------------|---------|--------|--------|---|
| SAILOR LNFT PER | SqFt | 3.00 | 3.01 | - |
| | Section | 59.06 | - | - |
| | Layer | 35.43 | 35.43 | - |
| | Bundle | 354.33 | 248.03 | - |

| | | | | |
|-----------|---------|--------|--------|--------|
| UNITS PER | SqFt | 4.58 | 4.58 | 4.58 |
| | Section | 90.00 | - | - |
| | Bundle | 540.00 | 378.00 | 378.00 |

| | | | | |
|---------|---------|-------|-------|-------|
| LBS PER | Layer | 323 | 420 | 423 |
| | Section | 538 | - | - |
| | Bundle | 3,229 | 2,942 | 2,960 |

ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads

Notes: * Special Order - Lead time is required, minimum quantities apply. All measurements are nominal. Contact Unilock for more information.

Internal Use Only, HOL CH

Stocked at Aurora, Elkhorn & Tonganoxie



CHARLESTON



DARK CHARCOAL



GRANITE BLEND



HERITAGE BROWN



RIVER



SIERRA

| Bundle Type | | SINGLE |
|--------------------|--|--------------------------|
| Thickness (mm) | | 60MM |
| Dimension mm | | 100mm x 200mm x 60mm |
| Dimension Imperial | | 3 7/8" x 7 7/8" x 2 3/8" |



STANDARD
7 7/8" x 3 7/8" x 2 3/8"
200 x 100 x 60mm

| | | |
|----------|---------|----------|
| SQFT PER | Bundle | 118.00 |
| | Layer | 11.80000 |
| | Section | - |
| | Stone | 0.22 |

| | | |
|------------|----------|-------|
| PER BUNDLE | Layers | 10.00 |
| | Sections | - |

| | | |
|------------------|---------|--------|
| SOLDIER LNFT PER | SqFt | 1.50 |
| | Section | - |
| | Layer | 17.72 |
| | Bundle | 177.17 |

| | | |
|-----------------|---------|--------|
| SAILOR LNFT PER | SqFt | 3.00 |
| | Section | - |
| | Layer | 35.43 |
| | Bundle | 354.33 |

| | | |
|-----------|---------|--------|
| UNITS PER | SqFt | 4.58 |
| | Section | - |
| | Bundle | 540.00 |

| | | |
|---------|---------|-------|
| LBS PER | Layer | 327 |
| | Section | - |
| | Bundle | 3,270 |

ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads

Notes: **SOLD IN FULL BUNDLES ONLY** and is produced and sold on a required, refundable skid. **Important: A urethane rubber paver mat must be used to prevent scuffing when compacting.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. HPR CH

Stocked at Aurora, Elkhorn, & Tonganoxie



COCOA BROWN



DARK CHARCOAL




GRANITE FUSION **NEW**



SABLE BLEND

| Bundle Type | | SINGLE |
|--------------------|--|--------------------------|
| Thickness (mm) | | 70MM |
| Dimension mm | | 60mm x 240mm x 70mm |
| Dimension Imperial | | 2 3/8" x 9 1/2" x 2 3/4" |



STANDARD
9 1/2 x 2 3/8 x 2 3/4"
240 x 60 x 70mm

| | | |
|----------|---------|----------|
| SQFT PER | Bundle | 89.28 |
| | Layer | 11.16000 |
| | Section | - |
| | Stone | 0.16 |

| | | |
|------------|----------|------|
| PER BUNDLE | Layers | 8.00 |
| | Sections | - |

| | | |
|------------------|---------|--------|
| SOLDIER LNFT PER | SqFt | 1.27 |
| | Section | - |
| | Layer | 14.17 |
| | Bundle | 113.39 |

| | | |
|-----------------|---------|--------|
| SAILOR LNFT PER | SqFt | 5.08 |
| | Section | - |
| | Layer | 56.69 |
| | Bundle | 453.54 |

| | | |
|-----------|---------|--------|
| UNITS PER | SqFt | 6.45 |
| | Section | - |
| | Bundle | 576.00 |

| | | |
|---------|---------|-------|
| LBS PER | Layer | 349 |
| | Section | - |
| | Bundle | 2,793 |

ADVANTAGES

ANTIQUED FINISH™

Distressed, timeworn finish

DRIVE FRIENDLY

Can handle vehicular loads

Notes: **SOLD IN FULL BUNDLES ONLY** and is produced and sold on a required, refundable skid. **Important:** A urethane rubber paver mat must be used to prevent scuffing when compacting. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. MAT CH

Stocked at Aurora, Elkhorn, Marengo & Tonganoxie

Natural Stone Sandstone



AUTUMN HARVEST



INDIAN COAST



STONE CLIFF GREY

Suitable for pool decks, wood decks, patios, entrances and concrete overlays.



35 1/2 x 23 5/8 x 7/8"
900 x 600 x 22mm



23 5/8 x 23 5/8 x 7/8"
600 x 600 x 22mm



23 5/8 x 17 3/4 x 7/8"
600 x 450 x 22mm



23 5/8 x 11 7/8 x 7/8"
600 x 300 x 22mm

ADVANTAGES

PEDESTRIAN FRIENDLY

Not recommended for vehicular

| Bundle Type | SINGLE | SINGLE | SINGLE | SINGLE |
|--------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| | 24 x 36 | 24 x 24 | 18 x 24 | 12 x 24 |
| Thickness (mm) | 22MM | 22MM | 22MM | 22MM |
| Dimension mm | 600mm x 900mm x 22mm | 600mm x 600mm x 22mm | 450mm x 600mm x 22mm | 300mm x 600mm x 22mm |
| Dimension Imperial | 23 5/8" x 35 1/2" x 0 7/8" | 23 5/8" x 23 5/8" x 0 7/8" | 17 3/4" x 23 5/8" x 0 7/8" | 11 7/8" x 23 5/8" x 0 7/8" |

| | | | | | |
|----------|-------|--------|--------|--------|--------|
| SQFT PER | Crate | 180.00 | 160.00 | 186.00 | 180.00 |
| | Unit | 6.00 | 4.00 | 3.00 | 2.00 |

| | | | | | |
|----------|-------|---|---|---|---|
| FCFT PER | Crate | - | - | - | - |
| | Layer | - | - | - | - |
| | Unit | - | - | - | - |

| | | | | | |
|----------|-------|---|---|---|---|
| LNFT PER | Crate | - | - | - | - |
| | Unit | - | - | - | - |

| | | | | | |
|-----------|-------|-------|-------|-------|-------|
| UNITS PER | Crate | 30.00 | 40.00 | 62.00 | 90.00 |
| | SqFt | 0.17 | 0.25 | 0.33 | 0.50 |

| | | | | | |
|---------|--------|-------|-------|-------|-------|
| LBS PER | Unit | 72 | 48 | 36 | 24 |
| | Bundle | 2,149 | 1,910 | 2,221 | 2,149 |

Stocked at Marengo only (Transferable to Tonganoxie on request)

Notes: **SOLD IN FULL CRATES ONLY.** Natural Stone is available for purchase by Unilock Authorized Dealers only. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. Unilock recommends a solvent based sealer for natural stone. **Important:** Natural Stone is covered under Unilock's Transferable Lifetime Guarantee. All measurements are nominal. **Product is not intended for vehicular applications.** For information on the recommended cleaning and sealing products for use on our Natural Stone, please visit <https://www.unicare-products.com/>. For information on cleaning and sealing best practices of Unilock Natural Stone, please visit <https://www.unicare-products.com/>.

Natural Stone Sandstone - Coping & Steps



AUTUMN HARVEST



INDIAN COAST



STONE CLIFF GREY



4' ROCK FACE STEP

47 1/4" x 15 3/4" x 5 7/8"
1200 x 410 x 150mm
INDIAN COAST ONLY



24" PILLAR CAP

23 5/8" x 23 5/8" x 2 5/8"
600 x 600 x 64mm
INDIAN COAST ONLY

| Bundle Type | SINGLE | SINGLE |
|--------------------|--|---------------------------------------|
| | 4' ROCK FACE STEP (INDIAN COAST ONLY) | 24" PILLAR CAP (INDIAN COAST ONLY) |
| Thickness (mm) | 150MM | 64MM |
| Dimension mm | 1,200mm x 410mm x 150mm | 600mm x 600mm x 64mm |
| Dimension Imperial | 47 1/4" x 15 3/4" x 5 7/8" | 23 5/8" x 23 5/8" x 2 5/8" |

| | | | |
|----------|-------|---|---|
| SQFT PER | Crate | - | - |
| | Unit | - | - |

| | | | |
|----------|-------|-------|---|
| FCFT PER | Crate | 32.00 | - |
| | Layer | - | - |
| | Unit | - | - |

| | | | |
|----------|-------|-------|---|
| LNFT PER | Crate | 24.00 | - |
| | Unit | - | - |

| | | | |
|-----------|-------|------|-------|
| UNITS PER | Crate | 6.00 | 14.00 |
| | SqFt | - | - |

| | | | |
|---------|--------|-------|-------|
| LBS PER | Unit | - | 186 |
| | Bundle | 2,526 | 2,606 |

| Bundle Type | SINGLE | SINGLE | SINGLE | SINGLE |
|--------------------|------------------------|--------------------------|--|------------------------------------|
| | 4' FULLNOSE | 4' ROCKFACE COPING (12") | 4' ROCKFACE COPING (14") (INDIAN COAST & STONE CLIFF GREY ONLY) | 6' FULLNOSE (INDIAN COAST ONLY) |
| Thickness (mm) | 50MM | 50MM | 50MM | 50MM |
| Dimension mm | 1,200mm x 50mm x 300mm | 1,200mm x 50mm x 300mm | 1,200mm x 50mm x 344mm | 1,800mm x 50mm x 300mm |
| Dimension Imperial | 47 1/4" x 2" x 11 7/8" | 47 1/4" x 2" x 11 7/8" | 47 1/4" x 2" x 13 5/8" | 70 7/8" x 2" x 11 7/8" |

| | | | | | |
|----------|-------|---|---|---|---|
| SQFT PER | Crate | - | - | - | - |
| | Unit | - | - | - | - |

| | | | | | |
|----------|-------|---|---|---|---|
| FCFT PER | Crate | - | - | - | - |
| | Layer | - | - | - | - |
| | Unit | - | - | - | - |

| | | | | | |
|----------|-------|-------|-------|-------|-------|
| LNFT PER | Crate | 80.00 | 80.00 | 80.00 | 72.00 |
| | Unit | 4.00 | 4.00 | 4.00 | 6.00 |

| | | | | | |
|-----------|-------|-------|-------|-------|-------|
| UNITS PER | Crate | 20.00 | 20.00 | 20.00 | 12.00 |
| | SqFt | - | - | - | - |

| | | | | | |
|---------|--------|-------|-------|-------|-------|
| LBS PER | Unit | 101 | 132 | 132 | 159 |
| | Bundle | 2,028 | 2,640 | 2,640 | 1,905 |



4' FULLNOSE

47 1/4" x 11 7/8" x 2"
1200 x 300 x 50mm



6' FULLNOSE

70 7/8" x 11 7/8" x 2"
1830 x 300 x 50mm
INDIAN COAST ONLY



4' ROCK FACE COPING

47 1/4" x 11 7/8" x 2"
1200 x 300 x 50mm



4' ROCK FACE COPING

47 1/4" x 13 5/8" x 2"
1200 x 344 x 50mm
INDIAN COAST &
STONE CLIFF GREY ONLY

Stocked at Marengo only (Transferable to Tonganoxie on request)

Notes: **SOLD IN FULL CRATES ONLY.** Natural Stone is available for purchase by Unilock Authorized Dealers only. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. Unilock recommends a solvent based sealer for natural stone. **Important:** Natural Stone is covered under Unilock's Transferable Lifetime Guarantee. All measurements are nominal. **Product is not intended for vehicular applications.** For information on the recommended cleaning and sealing products for use on our Natural Stone, please visit <https://www.unicare-products.com/>. For information on cleaning and sealing best practices of Unilock Natural Stone, please visit <https://www.unicare-products.com/>.

Natural Stone Limestone



BLACK RIVER

Suitable for pool decks, wood decks, patios, entrances and concrete overlays.



35 1/2 x 23 5/8 x 7/8"
900 x 600 x 22mm



23 5/8 x 23 5/8 x 7/8"
600 x 600 x 22mm



23 5/8 x 17 3/4 x 7/8"
600 x 450 x 22mm



23 5/8 x 11 7/8 x 7/8"
600 x 300 x 22mm

ADVANTAGES

PEDESTRIAN FRIENDLY

Not recommended for vehicular

| Bundle Type | SINGLE | SINGLE | SINGLE | SINGLE |
|--------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| | 24 x 36 | 24 x 24 | 18 x 24 | 12 x 24 |
| Thickness (mm) | 22MM | 22MM | 22MM | 22MM |
| Dimension mm | 600mm x 900mm x 22mm | 600mm x 600mm x 22mm | 450mm x 600mm x 22mm | 300mm x 600mm x 22mm |
| Dimension Imperial | 23 5/8" x 35 1/2" x 0 7/8" | 23 5/8" x 23 5/8" x 0 7/8" | 17 3/4" x 23 5/8" x 0 7/8" | 11 7/8" x 23 5/8" x 0 7/8" |

| | | | | | |
|----------|-------|--------|--------|--------|--------|
| SQFT PER | Crate | 180.00 | 160.00 | 186.00 | 180.00 |
| | Unit | 6.00 | 4.00 | 3.00 | 2.00 |

| | | | | | |
|----------|-------|---|---|---|---|
| FCFT PER | Crate | - | - | - | - |
| | Layer | - | - | - | - |
| | Unit | - | - | - | - |

| | | | | | |
|----------|-------|---|---|---|---|
| LNFT PER | Crate | - | - | - | - |
| | Unit | - | - | - | - |

| | | | | | |
|-----------|-------|-------|-------|-------|-------|
| UNITS PER | Crate | 30.00 | 40.00 | 62.00 | 90.00 |
| | SqFt | 0.17 | 0.25 | 0.33 | 0.50 |

| | | | | | |
|---------|--------|-------|-------|-------|-------|
| LBS PER | Unit | 72 | 48 | 36 | 24 |
| | Bundle | 2,149 | 1,910 | 2,221 | 2,149 |

Stocked at Marengo only (Transferable to Tonganoxie on request)

Notes: **SOLD IN FULL CRATES ONLY.** Natural Stone is available for purchase by Unilock Authorized Dealers only. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. Due to natural oxidation, the Black River Limestone will require sealing to maintain its deep rich color. Unilock recommends a solvent based sealer for natural stone. **Important:** Natural Stone is covered under Unilock's Transferable Lifetime Guarantee. All measurements are nominal. **Product is not intended for vehicular applications.** For information on the recommended cleaning and sealing products for use on our Natural Stone, please visit <https://www.unicare-products.com/>. For information on cleaning and sealing best practices of Unilock Natural Stone, please visit <https://www.unicare-products.com/>.

Natural Stone Limestone - Coping, Pillar Caps & Steps



BLACK RIVER



4' ROCK FACE STEP
47 $\frac{1}{4}$ x 15 $\frac{3}{4}$ x 5 $\frac{7}{8}$ "
1200 x 400 x 150mm



4' ROCK FACE COPING
47 $\frac{1}{4}$ x 11 $\frac{7}{8}$ x 2"
1200 x 300 x 50mm



4' ROCK FACE COPING
47 $\frac{1}{4}$ x 13 $\frac{5}{8}$ x 2"
1200 x 344 x 50mm



4' FULLNOSE
47 $\frac{1}{4}$ x 11 $\frac{7}{8}$ x 2"
1200 x 300 x 50mm



24" PILLAR CAP
23 $\frac{5}{8}$ x 23 $\frac{5}{8}$ x 2 $\frac{5}{8}$ "
600 x 600 x 64mm

28" PILLAR CAP
28 x 28 x 2 $\frac{5}{8}$ "
710 x 710 x 64mm

| Bundle Type | SINGLE |
|--------------------|----------------------------|
| | ROCK FACE STEP |
| Thickness (mm) | 150MM |
| Dimension mm | 400mm x 1,200mm x 150mm |
| Dimension Imperial | 15 3/4" x 47 1/4" x 5 7/8" |

| | | |
|----------|-------|-------|
| SQFT PER | Crate | 32.00 |
| | Unit | - |

| | | |
|----------|-------|---|
| FCFT PER | Crate | - |
| | Layer | - |
| | Unit | - |

| | | |
|----------|-------|-------|
| LNFT PER | Crate | 24.00 |
| | Unit | - |

| | | |
|-----------|-------|------|
| UNITS PER | Crate | 6.00 |
| | SqFt | - |

| | | |
|---------|--------|-------|
| LBS PER | Unit | - |
| | Bundle | 2,526 |

| Bundle Type | SINGLE | SINGLE | SINGLE | SINGLE | SINGLE |
|--------------------|------------------------|--------------------------|--------------------------|----------------------------|----------------------|
| | 4' FULLNOSE | 4' ROCKFACE COPING (12") | 4' ROCKFACE COPING (14") | 24" PILLAR CAP | 28" PILLAR CAP |
| Thickness (mm) | 50MM | 50MM | 50MM | 64MM | 64MM |
| Dimension mm | 300mm x 1,200mm x 50mm | 300mm x 1,200mm x 50mm | 344mm x 1,200mm x 50mm | 600mm x 600mm x 64mm | 710mm x 710mm x 64mm |
| Dimension Imperial | 11 7/8" x 47 1/4" x 2" | 11 7/8" x 47 1/4" x 2" | 13 5/8" x 47 1/4" x 2" | 23 5/8" x 23 5/8" x 2 5/8" | 28" x 28" x 2 5/8" |

| | | | | | |
|----------|-------|---|---|---|---|
| SQFT PER | Crate | - | - | - | - |
| | Unit | - | - | - | - |

| | | | | | |
|----------|-------|---|---|---|---|
| FCFT PER | Crate | - | - | - | - |
| | Layer | - | - | - | - |
| | Unit | - | - | - | - |

| | | | | | |
|----------|-------|-------|-------|-------|---|
| LNFT PER | Crate | 80.00 | 80.00 | 80.00 | - |
| | Unit | - | - | - | - |

| | | | | | |
|-----------|-------|-------|-------|-------|-------|
| UNITS PER | Crate | 20.00 | 20.00 | 20.00 | 14.00 |
| | SqFt | - | - | - | - |

| | | | | | |
|---------|--------|-------|-------|-------|-------|
| LBS PER | Unit | - | - | - | 186 |
| | Bundle | 2,116 | 2,116 | 2,552 | 2,606 |

Stocked at Marengo only (Transferable to Tonganoxie on request)

Notes: **SOLD IN FULL CRATES ONLY.** Natural Stone is available for purchase by Unilock Authorized Dealers only. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. Due to natural oxidation, the Black River Limestone will require sealing to maintain its deep rich color. Unilock recommends a solvent based sealer for natural stone. **Important:** Natural Stone is covered under Unilock's Transferable Lifetime Guarantee. All measurements are nominal. **Product is not intended for vehicular applications.** For information on the recommended cleaning and sealing products for use on our Natural Stone, please visit <https://www.unicare-products.com/>. For information on cleaning and sealing best practices of Unilock Natural Stone, please visit <https://www.unicare-products.com/>.

Natural Stone Bucine Bluestone



**BUCINE
BLUESTONE®**
from Tuscany

Bring a little bit of Florence and Tuscany to your project, with Bucine Bluestone, exclusively from Unilock. The material of choice for leading artists in the history of Italian art and Renaissance, this stone has been widely used for centuries.

Our Bucine Bluestone is a sandstone, sourced directly from Italy. A classic material of beautiful, uniform grey color, it is highly durable for outdoor use, extremely versatile, easy to maintain and combines well with many other colors and materials.



Suitable for pool decks, wood decks, patios, entrances and concrete overlays.

ADVANTAGES

PEDESTRIAN FRIENDLY
Not recommended for vehicular

FLAMED



35½ x 23⅝ x 1½"
900 x 600 x 38mm

23⅝ x 23⅝ x 1½"
600 x 600 x 38mm

23⅝ x 17¾ x 1½"
600 x 450 x 38mm

23⅝ x 11⅞ x 1½"
600 x 300 x 38mm

COPING
48 x 14 x 2"
1219 x 356 x 50mm

PILLAR CAP
24 x 24 x 2"
610 x 610 x 50mm

STEP
24 x 48 x 6"
610 x 1219 x 152mm

| Bundle Type | SINGLE | SINGLE | SINGLE | SINGLE | SINGLE | SINGLE | SINGLE |
|--------------------|----------------------------|----------------------------|----------------------------|----------------------------|------------------------|----------------------|-------------------------|
| | 24 x 36 | 24 x 24 | 18 x 24 | 12 x 24 | COPING | PILLAR CAP | STEP |
| Thickness (mm) | 38MM | 38MM | 38MM | 38MM | 50MM | 50MM | 152MM |
| Dimension mm | 600mm x 900mm x 38mm | 600mm x 600mm x 38mm | 450mm x 600mm x 38mm | 300mm x 600mm x 38mm | 1,219mm x 50mm x 356mm | 610mm x 50mm x 610mm | 1,219mm x 152mm x 610mm |
| Dimension Imperial | 23 5/8" x 35 1/2" x 1 1/2" | 23 5/8" x 23 5/8" x 1 1/2" | 17 3/4" x 23 5/8" x 1 1/2" | 11 7/8" x 23 5/8" x 1 1/2" | 48" x 2" x 14" | 24" x 2" x 24" | 48" x 6" x 24" |

| | | | | | | | | |
|-----------------|-------|--------|--------|--------|--------|---|---|---|
| SQFT PER | Crate | 168.00 | 176.00 | 168.00 | 168.00 | - | - | - |
| | Unit | 6.00 | 4.00 | 3.00 | 2.00 | - | - | - |

| | | | | | | | | |
|-----------------|-------|---|---|---|---|---|---|---|
| FCFT PER | Crate | - | - | - | - | - | - | - |
| | Layer | - | - | - | - | - | - | - |
| | Unit | - | - | - | - | - | - | - |

| | | | | | | | | |
|-----------------|-------|---|---|---|---|--------|---|---|
| LNFT PER | Crate | - | - | - | - | 104.00 | - | - |
| | Unit | - | - | - | - | 4.00 | - | - |

| | | | | | | | | |
|------------------|-------|-------|-------|-------|-------|-------|-------|------|
| UNITS PER | Crate | 28.00 | 44.00 | 56.00 | 84.00 | 26.00 | 14.00 | 4.00 |
| | SqFt | 0.17 | 0.25 | 0.33 | 0.50 | - | - | - |

| | | | | | | | | |
|----------------|--------|-------|-------|-------|-------|-------|-------|-------|
| LBS PER | Unit | 72 | 48 | 36 | 24 | 130 | 111 | 669 |
| | Bundle | 2,016 | 2,112 | 2,016 | 2,016 | 3,382 | 1,561 | 2,676 |

Stocked at Marengo only (Transferable to Tonganoxie on request)

Notes: **SOLD IN FULL CRATES ONLY.** Natural Stone is available for purchase by Unilock Authorized Dealers only. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. Unilock recommends a solvent based sealer for natural stone. **Important:** Natural Stone is covered under Unilock's Transferable Lifetime Guarantee. All measurements are nominal. **Product is not intended for vehicular applications.**



AUTUMN RED



RIVER



SIERRA

| Bundle Type | | SINGLE |
|--------------------|--|----------------------|
| | | MEDIUM RECTANGLE |
| Thickness (mm) | | 60MM |
| Dimension mm | | 120mm x 180mm x 60mm |
| Dimension Imperial | | 4 3/4" x 7" x 2 3/8" |

| SQFT PER | Bundle | 97.60 |
|----------|---------|---------|
| | Layer | 9.76000 |
| | Section | 16.27 |
| | Stone | 0.23 |

| PER BUNDLE | Layers | 10.00 |
|------------|----------|-------|
| | Sections | 6.00 |

| SOLDIER LNFT PER | SqFt | 1.69 |
|------------------|---------|--------|
| | Section | 27.56 |
| | Layer | 16.54 |
| | Bundle | 165.35 |

| SAILOR LNFT PER | SqFt | 2.54 |
|-----------------|---------|--------|
| | Section | 41.34 |
| | Layer | 24.80 |
| | Bundle | 248.03 |

| UNITS PER | SqFt | 4.30 |
|-----------|---------|--------|
| | Section | 70.00 |
| | Bundle | 420.00 |

| LBS PER | Layer | 265 |
|---------|---------|-------|
| | Section | 442 |
| | Bundle | 2,653 |



MEDIUM RECTANGLE
7 x 4¾ x 2⅜"
180 x 120 x 60mm

ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads

Notes: **Important:** A urethane rubber paver mat must be used to prevent scuffing when compacting. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. OGC CH


Stocked at Aurora, Elkhorn, & Tonganoxie




STANDARD FINISH



PREMIER FINISH



IL CAMPO FINISH



SERIES™ FINISH



UMBRIANO® FINISH

**SPECIAL ORDER
PRODUCT**

| Bundle Type | SINGLE |
|--------------------|----------------------------|
| Thickness (mm) | 80MM |
| Dimension mm | 260mm x 260mm x 80mm |
| Dimension Imperial | 10 1/4" x 10 1/4" x 3 1/8" |



STANDARD
10¼ x 10¼ x 3⅛"
260 x 260 x 80mm

| SQFT PER | Bundle | 77.33 |
|----------|---------|---------|
| | Layer | 9.67000 |
| | Section | - |
| | Stone | 0.54 |

| PER BUNDLE | Layers | 8.00 |
|------------|----------|------|
| | Sections | - |

| SOLDIER LNFT PER | SqFt | 1.59 |
|------------------|---------|--------|
| | Section | - |
| | Layer | 15.35 |
| | Bundle | 122.83 |

| SAILOR LNFT PER | SqFt | 1.59 |
|-----------------|---------|--------|
| | Section | - |
| | Layer | 15.35 |
| | Bundle | 122.83 |

| UNITS PER | SqFt | 1.86 |
|-----------|---------|--------|
| | Section | - |
| | Bundle | 144.00 |

| LBS PER | Layer | 350 |
|---------|---------|-------|
| | Section | - |
| | Bundle | 2,801 |

ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads

Notes: **SOLD IN FULL BUNDLES ONLY.** *Special Order - Lead time is required, minimum quantities apply.* Weights may vary depending on finish. This product is optimized for mechanical installation. All measurements are nominal. **Important:** Contact Unilock for information.

Internal Use Only. OPL CH

SPECIAL ORDER PRODUCT - NON-STOCK

Porcelain New



COSMIC GREY New



DOVE GREY TRAVERTINE New

| Bundle Type | SINGLE |
|--------------------|--------------------------|
| | Rectangle |
| Thickness (mm) | 20MM |
| Dimension mm | 400mm x 800mm x 20mm |
| Dimension Imperial | 15 3/4" x 31 1/2" x 3/4" |

| | | |
|----------|--------|--------|
| SQFT PER | Pallet | 186.00 |
| | Box | 6.89 |
| | Unit | 3.44 |

| | | |
|------------|--------|-------|
| PER PALLET | Pallet | 27.00 |
| | Layer | - |
| | Unit | - |

| | | |
|----------|--------|---|
| LNFT PER | Pallet | - |
| | Unit | - |

| | | |
|-----------|--------|-------|
| UNITS PER | Pallet | 54.00 |
| | Box | 2.00 |
| | SqFt | - |

| | | |
|---------|---------|----------|
| LBS PER | Unit | 32 |
| | Layer | 251 |
| | Section | 1,727 |
| | Bundle | 63.94576 |



16 x 32 x 3/4"
400 x 800 x 20mm

Suitable for pool decks, wood decks, patios, entrances and concrete overlays.

ADVANTAGES
PEDESTRIAN FRIENDLY
Not recommended for vehicular

Notes: **SOLD IN FULL BUNDLES ONLY.** Porcelain tile is available for purchase by Unilock Authorized Dealers only.
Important: A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal.
Contact Unilock for more information. Porcelain Tile is not covered by Unilock's Lifetime Guarantee. Please contact your Territory Manager for more information.

Stocked at Marengo only (Transferable to Tonganoxie on request)



ARBOR BIANCO




ARBOR GRAY



ARBOR NATURAL



GOATHAM GREY
ALSO IN COPING



GOATHAM NERO



TRAVSTONE BEIGE
ALSO IN COPING

| Bundle Type | SINGLE | SINGLE | SINGLE |
|--------------------|--------------------------|--------------------------|------------------------|
| | Arbor Size | Square | Coping |
| Thickness (mm) | 20MM | 20MM | 30MM |
| Dimension mm | 400mm x 800mm x 20mm | 600mm x 600mm x 20mm | 330mm x 600mm x 30mm |
| Dimension Imperial | 15 3/4" x 31 1/2" x 3/4" | 23 5/8" x 23 5/8" x 3/4" | 13" x 23 5/8" x 1 1/4" |

| | | | | |
|----------|--------|--------|--------|---|
| SQFT PER | Pallet | 268.71 | 248.00 | - |
| | Box | 6.89 | 7.75 | - |
| | Unit | 3.45 | 3.88 | - |

| | | | | |
|------------|--------|--------|--------|-------|
| PER PALLET | Pallet | 39.00 | 32.00 | 38.00 |
| | Layer | 268.71 | 248.00 | - |
| | Unit | 78.00 | 64.00 | 38.00 |

| | | | | |
|----------|--------|---|---|----|
| LNFT PER | Pallet | - | - | - |
| | Unit | - | - | 30 |

| | | | | |
|-----------|--------|-------|-------|-------|
| UNITS PER | Pallet | 78.00 | 64.00 | 30 |
| | Box | 2.00 | 2.00 | 1,127 |
| | SqFt | - | - | - |

| | | | | |
|---------|---------|-------|-------|-------|
| LBS PER | Unit | 31 | 36 | 36 |
| | Layer | 9 | 9 | 9 |
| | Section | 62 | 72 | 72 |
| | Bundle | 2,418 | 2,288 | 2,288 |



ARBOR SIZE ONLY
31 1/2" x 15 3/4" x 3/4"
800 x 400 x 20mm



23 5/8" x 23 5/8" x 3/4"
600 x 600 x 20mm



COPING
13" x 23 5/8" x 1 1/4"
330 x 600 x 30mm

Suitable for pool decks, wood decks, patios, entrances and concrete overlays.

ADVANTAGES

PEDESTRIAN FRIENDLY

Not recommended for vehicular

Notes: **SOLD IN FULL BUNDLES ONLY.** Porcelain tile is available for purchase by Unilock Authorized Dealers only. **Important:** A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact Unilock for more information. Porcelain Tile is not covered by Unilock's Lifetime Guarantee. Please contact your Territory Manager for more information.

Stocked at Marengo only (Transferable to Tonganoxie on request)



EIKON GEA



EIKON TITANIO



RIMINI

| Bundle Type | SINGLE |
|--------------------|--------------------------|
| | Square |
| Thickness (mm) | 20MM |
| Dimension mm | 600mm x 600mm x 20mm |
| Dimension Imperial | 23 5/8" x 23 5/8" x 3/4" |

| | | |
|----------|--------|--------|
| SQFT PER | Pallet | 232.50 |
| | Box | 7.75 |
| | Unit | 3.88 |

| | | |
|------------|--------|--------|
| PER PALLET | Pallet | 30.00 |
| | Layer | 232.50 |
| | Unit | 60.00 |

| | | |
|----------|--------|---|
| LNFT PER | Pallet | - |
| | Unit | - |

| | | |
|-----------|--------|-------|
| UNITS PER | Pallet | 60.00 |
| | Box | 2.00 |
| | SqFt | - |

| | | |
|---------|---------|-------|
| LBS PER | Unit | 36 |
| | Layer | 9 |
| | Section | 73 |
| | Bundle | 2,178 |



23⁵/₈ x 23⁵/₈ x ³/₄"
600 x 600 x 20mm

Suitable for pool decks, wood decks, patios, entrances and concrete overlays.

ADVANTAGES

PEDESTRIAN FRIENDLY


Not recommended for vehicular

Notes: **SOLD IN FULL BUNDLES ONLY.** Porcelain tile is available for purchase by Unilock Authorized Dealers only.
Important: A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal.
Contact Unilock for more information. Porcelain Tile is not covered by Unilock's Lifetime Guarantee. Please contact your Territory Manager for more information.


Stocked at Marengo only (Transferable to Tonganoxie on request)



PREMIER FINISH



IL CAMPO FINISH



SERIES FINISH



UMBRIANO FINISH

**SPECIAL ORDER
PRODUCT**



11 5/8" x 3" x 3/8"
300 x 75 x 100mm



11 5/8" x 3 3/8" x 3/8"
300 x 100 x 100mm



15 3/4" x 3 3/8" x 3/8"
400 x 100 x 100mm



23 5/8" x 5 7/8" x 2 3/4"
600 x 150 x 70mm



23 5/8" x 7 7/8" x 3/8"
600 x 200 x 100mm

ADVANTAGES

DRIVE FRIENDLY
Can handle vehicular loads

| Bundle Type | SINGLE | SINGLE | SINGLE | SINGLE | SINGLE |
|--------------------|-----------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| | 3 X 12 | 4 X 12 | 4 X 16 | 6 X 24 | 8 X 24 |
| Thickness (mm) | 100MM | 100MM | 100MM | 70MM | 100MM |
| Dimension mm | 75mm x 300mm x 100mm | 100mm x 300mm x 100mm | 100mm x 400mm x 100mm | 150mm x 600mm x 70mm | 200mm x 600mm x 100mm |
| Dimension Imperial | 3" x 11 7/8" x 3 7/8" | 3 7/8" X 11 7/8" X 3 7/8" | 3 7/8" x 15 3/4" x 3 7/8" | 5 7/8" x 23 5/8" x 2 3/4" | 7 7/8" X 23 5/8" X 3 7/8" |

| | | | | | | |
|----------|---------|----------|----------|----------|----------|----------|
| SQFT PER | Bundle | 63.94 | 58.13 | 51.67 | 93.00 | 51.67 |
| | Layer | 10.66000 | 11.63000 | 10.33000 | 11.63000 | 10.33000 |
| | Section | - | - | - | - | - |
| | Stone | 0.24 | 0.32 | 0.43 | 0.97 | 1.29 |

| | | | | | | |
|------------|----------|------|------|------|------|------|
| PER BUNDLE | Layers | 6.00 | 5.00 | 5.00 | 8.00 | 5.00 |
| | Sections | | - | - | - | - |

| | | | | | | |
|------------------|---------|-------|-------|-------|-------|-------|
| SOLDIER LNFT PER | SqFt | 1.35 | 1.02 | 0.76 | 0.51 | 0.51 |
| | Section | | - | - | - | - |
| | Layer | 14.44 | 11.81 | 7.87 | 5.91 | 5.25 |
| | Bundle | 86.61 | 59.06 | 39.37 | 47.24 | 26.25 |

| | | | | | | |
|-----------------|---------|--------|--------|--------|--------|-------|
| SAILOR LNFT PER | SqFt | 4.06 | 3.05 | 3.05 | 2.03 | 1.52 |
| | Section | | - | - | - | - |
| | Layer | 43.31 | 35.43 | 31.50 | 23.62 | 15.75 |
| | Bundle | 259.84 | 177.17 | 157.48 | 188.98 | 78.74 |

| | | | | | | |
|-----------|---------|--------|--------|--------|-------|-------|
| UNITS PER | SqFt | 4.13 | 3.10 | 2.32 | 1.03 | 0.77 |
| | Section | | - | - | - | - |
| | Bundle | 264.00 | 180.00 | 120.00 | 96.00 | 40.00 |

| | | | | | | |
|---------|---------|-------|-------|-------|-------|-------|
| LBS PER | Layer | 465 | 532 | 469 | 372 | 488 |
| | Section | | - | - | - | - |
| | Bundle | 2,789 | 2,659 | 2,345 | 2,978 | 2,440 |

Internal Use Only. PMD CH

Notes: Special Order - Lead time is required, minimum quantities apply. SOLD IN FULL BUNDLES ONLY and is sold on a required, refundable skid. Weights and square feet may vary depending on plant of manufacture and finish. Custom finish and color options are available. All measurements are nominal. Important: A urethane rubber paver mat must be used to prevent scuffing. Contact Unilock for more information.



DAWN MIST



PEBBLE TAUPE



SMOKE SHALE



DAWN MIST/ PEBBLE TAUPE
Sold Separately/ Blended on Site

| Bundle Type | | SINGLE | RANDOM |
|--------------------|--|----------------------------|--------|
| | | LARGE RECTANGLE | |
| Thickness (mm) | | 60MM | 60MM |
| Dimension mm | | 302mm x 528mm x 60mm | |
| Dimension Imperial | | 11 7/8" x 20 7/8" x 2 3/8" | |

| | | | |
|----------|---------|----------|----------|
| SQFT PER | Bundle | 82.39 | 90.30 |
| | Layer | 10.30000 | 11.29000 |
| | Section | - | - |
| | Stone | 1.72 | - |

| | | | |
|------------|----------|------|------|
| PER BUNDLE | Layers | 8.00 | 8.00 |
| | Sections | - | - |

| | | | |
|------------------|---------|-------|---|
| SOLDIER LNFT PER | SqFt | 0.58 | - |
| | Section | - | - |
| | Layer | 5.94 | - |
| | Bundle | 47.56 | - |

| | | | |
|-----------------|---------|-------|--------|
| SAILOR LNFT PER | SqFt | 1.01 | 1.31 |
| | Section | - | - |
| | Layer | 10.39 | 14.78 |
| | Bundle | 83.15 | 118.22 |

| | | | |
|-----------|---------|-------|--------|
| UNITS PER | SqFt | 0.58 | 1.77 |
| | Section | - | - |
| | Bundle | 48.00 | 160.00 |

| | | | |
|---------|---------|-------|-------|
| LBS PER | Layer | 301 | 309 |
| | Section | - | - |
| | Bundle | 2,411 | 2,472 |

3 UNIT RANDOM BUNDLE



RECTANGLE
12 x 9 x 2 3/8"
300 x 226 x 60mm
64 units/Bundle
.75 Sq.Ft./Stone



SQUARE
9 x 9 x 2 3/8"
226 x 226 x 60mm
32 units/Bundle
.58 Sq.Ft./Stone



SMALL RECTANGLE
9 x 6 x 2 3/8"
226 x 150 x 60mm
64 units/Bundle
.38 Sq.Ft./Stone



LARGE RECTANGLE
21 x 12 x 2 3/8"
528 x 302 x 60mm
Sold Separately

ADVANTAGES

REALA™

Cast from natural stone

ULTIMA™

Up to 4x stronger than poured-in-place concrete

DRIVE FRIENDLY

Random Bundle can handle vehicular loads

Notes: **SOLD IN FULL BUNDLES ONLY** on a refundable skid. **Important:** A urethane rubber paver mat must be used to prevent scuffing when compacting. All measurements are nominal. Contact Unilock for more information. Please refer to the Polymeric Sand Best Practices on page 96 and Important Notice on page 99.

Internal Use Only. RIC NY



AUTUMN GRANITE **NEW** COBALT GREY

| Bundle Type | RANDOM |
|--------------------|-------------|
| Thickness (mm) | 60MM |
| Dimension mm | |
| Dimension Imperial | |

| | | |
|----------|---------|----------|
| SQFT PER | Bundle | 104.60 |
| | Layer | 10.46000 |
| | Section | - |
| | Stone | 1.31 |

| | | |
|------------|----------|-------|
| PER BUNDLE | Layers | 10.00 |
| | Sections | - |

| | | |
|------------------|---------|---|
| SOLDIER LNFT PER | SqFt | - |
| | Section | - |
| | Layer | - |
| | Bundle | - |

| | | |
|-----------------|---------|-------|
| SAILOR LNFT PER | SqFt | 0.85 |
| | Section | - |
| | Layer | 8.86 |
| | Bundle | 88.58 |

| | | |
|-----------|---------|-------|
| UNITS PER | SqFt | 0.76 |
| | Section | - |
| | Bundle | 80.00 |

| | | |
|---------|---------|-------|
| LBS PER | Layer | 296 |
| | Section | - |
| | Bundle | 2,960 |

3 UNIT RANDOM BUNDLE



LARGE RECTANGLE
 $21\frac{1}{4} \times 14\frac{1}{4} \times 2\frac{3}{8}"$
 540 x 360 x 60mm
 20 units/Bundle
 2.09 Sq.Ft./Stone



SQUARE
 $14\frac{1}{4} \times 14\frac{1}{4} \times 2\frac{3}{8}"$
 360 x 360 x 60mm
 30 units/Bundle
 1.40 Sq.Ft./Stone



SMALL RECTANGLE
 $14\frac{1}{4} \times 7\frac{1}{8} \times 2\frac{3}{8}"$
 360 x 180 x 60mm
 30 units/Bundle
 .70 Sq.Ft./Stone

ADVANTAGES

Granite, Quartz and Marble surface materials

PEDESTRIAN FRIENDLY

Not recommended for vehicular use

Notes: **SOLD IN FULL BUNDLES ONLY** and is sold on a required, refundable skid. **Important:** A urethane rubber mat must be used to prevent scuffing when compacting. Please refer to the Sealer Best Practices on page 96 and Important Notice on page 99.

Internal Use Only. S3K CH

Stocked at Aurora, Elkhorn, & Tonganoxie



GOLDEN TAN



ONYX BLACK

| Bundle Type | SINGLE |
|--------------------|--------------------------|
| Thickness (mm) | 70MM |
| Dimension mm | 100mm x 200mm x 70mm |
| Dimension Imperial | 3 7/8" x 7 7/8" x 2 3/4" |



7 7/8" x 3 7/8" x 2 3/4"
200 x 100 x 70mm

| | | |
|----------|---------|----------|
| SQFT PER | Bundle | 106.20 |
| | Layer | 11.80000 |
| | Section | 17.70 |
| | Stone | 0.22 |

| | | |
|------------|----------|------|
| PER BUNDLE | Layers | 9.00 |
| | Sections | 6.00 |

| | | |
|------------------|---------|--------|
| SOLDIER LNFT PER | SqFt | 1.50 |
| | Section | 26.57 |
| | Layer | 17.72 |
| | Bundle | 159.45 |

| | | |
|-----------------|---------|--------|
| SAILOR LNFT PER | SqFt | 3.00 |
| | Section | 53.15 |
| | Layer | 35.43 |
| | Bundle | 318.90 |

| | | |
|-----------|---------|--------|
| UNITS PER | SqFt | 4.58 |
| | Section | 81.00 |
| | Bundle | 486.00 |

| | | |
|---------|---------|-------|
| LBS PER | Layer | 383 |
| | Section | 574 |
| | Bundle | 3,445 |

ADVANTAGES

Granite, Quartz and Marble surface materials

DRIVE FRIENDLY

Can handle vehicular loads

Notes: **Important:** A urethane rubber mat must be used to prevent scuffing when compacting. Please refer to the Sealer Best Practices on page 96 and Important Notice on page 99.

Internal Use Only. S3K CH

Stocked at Aurora, Elkhorn, & Tonganoxie



ARCTIC GREY **NEW**



NORDIC STAR **NEW**

| Bundle Type | SINGLE |
|--------------------|---------------------------|
| | 4 X 12 |
| Thickness (mm) | 80MM |
| Dimension mm | 100mm x 300mm x 80mm |
| Dimension Imperial | 3 7/8" x 11 7/8" x 3 1/8" |

| SQFT PER | Bundle | |
|----------|---------|--|
| | Layer | |
| | Section | |
| | Stone | |

| PER BUNDLE | Layers | |
|------------|----------|--|
| | Sections | |

| SOLDIER LNFT PER | SqFt | |
|------------------|---------|--|
| | Section | |
| | Layer | |
| | Bundle | |

| SAILOR LNFT PER | SqFt | |
|-----------------|---------|--|
| | Section | |
| | Layer | |
| | Bundle | |

| UNITS PER | SqFt | |
|-----------|---------|--|
| | Section | |
| | Bundle | |

| LBS PER | Layer | |
|---------|---------|--|
| | Section | |
| | Bundle | |



4X12 RECTANGLE
11⁷/₈ x 3⁷/₈ x 3¹/₈"
300 x 100 x 80mm

Chart info to be updated in NAV - coming soon

ADVANTAGES

Granite, Quartz and Marble surface materials

PERMEABLE

Can be installed to allow water to flow through

DRIVE FRIENDLY

Can handle vehicular loads

Notes: **SOLD IN FULL BUNDLES ONLY** and is sold on a required, refundable skid. **Important:** A urethane rubber mat must be used to prevent scuffing when compacting. Please refer to the Sealer Best Practices on page 96 and Important Notice on page 99.

Internal Use Only. S3K CH

Stocked at Aurora, Elkhorn, & Tonganoxie



CHAMOIS



MEDIUM GREY



Pedestal System
Contact your local Unilock Rep for more information.

| Bundle Type | | SINGLE |
|--------------------|--|------------------------|
| Thickness (mm) | | 50MM |
| Dimension mm | | 606mm x 606mm x 50mm |
| Dimension Imperial | | 23 7/8" x 23 7/8" x 2" |

| | | |
|----------|---------|---------|
| SQFT PER | Bundle | 80.00 |
| | Layer | 8.00000 |
| | Section | - |
| | Stone | 4.00 |

| | | |
|------------|----------|-------|
| PER BUNDLE | Layers | 10.00 |
| | Sections | - |

| | | |
|------------------|---------|-------|
| SOLDIER LNFT PER | SqFt | 0.98 |
| | Section | - |
| | Layer | 7.87 |
| | Bundle | 78.74 |

| | | |
|-----------------|---------|-------|
| SAILOR LNFT PER | SqFt | 0.98 |
| | Section | - |
| | Layer | 7.87 |
| | Bundle | 78.74 |

| | | |
|-----------|---------|-------|
| UNITS PER | SqFt | 0.25 |
| | Section | - |
| | Bundle | 20.00 |

| | | |
|---------|---------|-------|
| LBS PER | Layer | 178 |
| | Section | - |
| | Bundle | 1,776 |



23⁷/₈ x 23⁷/₈ x 2"
606 x 606 x 50mm

Perfect for roof decks
and other raised floor
applications.

ADVANTAGES

PEDESTRIAN FRIENDLY
Not recommended for vehicular use

Notes: **PRODUCT SOLD IN FULL BUNDLES ONLY**, and is produced and sold on a required and refundable skid. Product is not intended for vehicular applications. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. All measurements are nominal.

Internal Use Only. SKY CH

Stocked at Aurora, Elkhorn & Marengo
(Transferable to Tonganoxie on request)



ALPINE GREY



BAVARIAN BLEND



FOSSIL

| Bundle Type | | RANDOM |
|--------------------|--|--------|
| Thickness (mm) | | 70MM |
| Dimension mm | | |
| Dimension Imperial | | |

| | | |
|----------|---------|----------|
| SQFT PER | Bundle | 88.61 |
| | Layer | 11.08000 |
| | Section | - |
| | Stone | 0.92 |

| | | |
|------------|----------|------|
| PER BUNDLE | Layers | 8.00 |
| | Sections | - |

| | | |
|------------------|---------|---|
| SOLDIER LNFT PER | SqFt | - |
| | Section | - |
| | Layer | - |
| | Bundle | - |

| | | |
|-----------------|---------|---|
| SAILOR LNFT PER | SqFt | - |
| | Section | - |
| | Layer | - |
| | Bundle | - |

| | | |
|-----------|---------|-------|
| UNITS PER | SqFt | 1.08 |
| | Section | - |
| | Bundle | 96.00 |

| | | |
|---------|---------|-------|
| LBS PER | Layer | 344 |
| | Section | - |
| | Bundle | 2,752 |

3 UNIT RANDOM BUNDLE



LARGE RECTANGLE
 $16\frac{1}{2} \times 13\frac{3}{4} \times 2\frac{3}{4}$ "
 420 x 350 x 70mm
 32 units/Bundle
 1.58 Sq.Ft./Stone



MEDIUM RECTANGLE
 $13\frac{1}{2} \times 8\frac{1}{4} \times 2\frac{3}{4}$ "
 350 x 210 x 70mm
 32 units/Bundle
 .79 Sq.Ft./Stone



SMALL RECTANGLE
 $8\frac{1}{4} \times 6\frac{7}{8} \times 2\frac{3}{4}$ "
 210 x 173 x 70mm
 32 units/Bundle
 .39 Sq.Ft./Stone

ADVANTAGES

PERMEABLE

Can be installed to allow water to flow through

DRIVE FRIENDLY

Can handle vehicular use

Notes: **SOLD IN FULL BUNDLES ONLY** and is produced and sold on a required, refundable skid.

Important: A urethane rubber paver mat must be used to prevent scuffing when compacting. For permeable installations, Unilock recommends using granite chips for joint filler. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. S3K CH

Stocked at Aurora, Elkhorn, Marengo & Tonganoxie



BURGUNDY RED



BURNT CLAY



OLD OAK



BASALT



HERITAGE RED



HERITAGE CLAY



BURGUNDY RED/
BURNT CLAY/OLD OAK
Sold Separately/
Blended on Site



HERITAGE
2 COLOR BLEND
Sold Separately/
Blended on Site

| Bundle Type | SINGLE |
|--------------------|--------------------------|
| Thickness (mm) | 70MM |
| Dimension mm | 100mm x 250mm x 70mm |
| Dimension Imperial | 3 7/8" x 9 7/8" x 2 3/4" |

| SQFT PER | Bundle | 88.41 |
|----------|---------|----------|
| | Layer | 11.05000 |
| | Section | - |
| | Stone | 0.28 |

| PER BUNDLE | Layers | 8.00 |
|------------|----------|------|
| | Sections | - |

| SOLDIER LNFT PER | SqFt | 1.19 |
|------------------|---------|--------|
| | Section | - |
| | Layer | 13.12 |
| | Bundle | 104.99 |

| SAILOR LNFT PER | SqFt | 2.97 |
|-----------------|---------|--------|
| | Section | - |
| | Layer | 32.81 |
| | Bundle | 262.47 |

| UNITS PER | SqFt | 3.62 |
|-----------|---------|--------|
| | Section | - |
| | Bundle | 320.00 |

| LBS PER | Layer | 361 |
|---------|---------|-------|
| | Section | - |
| | Bundle | 2,888 |



STANDARD
9 7/8" x 3 7/8" x 2 3/4"
250 x 100 x 70mm

ADVANTAGES

PERMEABLE

Can be installed to allow water to flow through

REALA™

Cast from historic brick

ULTIMA™

Up to 4x stronger than poured-in-place concrete

DRIVE FRIENDLY

Can handle vehicular loads

Notes: **SOLD IN FULL BUNDLES ONLY** and is produced and sold on a required, refundable skid. **Important:** A urethane rubber paver mat must be used to prevent scuffing when compacting. For permeable installations, Unilock recommends using granite chips for joint filler. For traditional applications, please refer to the Polymeric Sand Best Practices on page 96 and Important Notice on page 99. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. TWN ON

Stocked at Aurora, Elkhorn & Tonganoxie



GRANITE



RIVER



SIERRA

| Bundle Type | | RANDOM |
|--------------------|--|--------|
| | | |
| Thickness (mm) | | 60MM |
| Dimension mm | | |
| Dimension Imperial | | |

| | | |
|----------|---------|----------|
| SQFT PER | Bundle | 108.99 |
| | Layer | 10.90000 |
| | Section | - |
| | Stone | 0.52 |

| | | |
|------------|----------|-------|
| PER BUNDLE | Layers | 10.00 |
| | Sections | - |

| | | |
|------------------|---------|---|
| SOLDIER LNFT PER | SqFt | - |
| | Section | - |
| | Layer | - |
| | Bundle | - |

| | | |
|-----------------|---------|--------|
| SAILOR LNFT PER | SqFt | 1.35 |
| | Section | - |
| | Layer | 14.76 |
| | Bundle | 147.64 |

| | | |
|-----------|---------|--------|
| UNITS PER | SqFt | 1.93 |
| | Section | - |
| | Bundle | 210.00 |

| | | |
|---------|---------|-------|
| LBS PER | Layer | 304 |
| | Section | - |
| | Bundle | 3,035 |

3 UNIT RANDOM BUNDLE



LARGE RECTANGLE
 $13\frac{1}{4} \times 8\frac{7}{8} \times 2\frac{3}{8}"$
 338 x 225 x 60mm
 60 units/Bundle
 .82 Sq.Ft./Stone



SQUARE
 $8\frac{7}{8} \times 8\frac{7}{8} \times 2\frac{3}{8}"$
 225 x 225 x 60mm
 60 units/Bundle
 .55 Sq.Ft./Stone



SMALL RECTANGLE
 $8\frac{7}{8} \times 4\frac{1}{2} \times 2\frac{3}{8}"$
 225 x 112 x 60mm
 80 units/Bundle
 .27 Sq.Ft./Stone

ADVANTAGES

PERMEABLE

Can be installed to allow water to flow through

DRIVE FRIENDLY

Can handle vehicular loads

Notes: **SOLD IN FULL BUNDLES ONLY** and is produced and sold on a required, refundable skid.

Important: A urethane rubber paver mat must be used to prevent scuffing when compacting. For permeable installations, Unilock recommends using granite chips for joint filler. For traditional applications, please refer to the Polymeric Sand Best Practices on page 96 and Important Notice on page 99. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. TRE CH

Stocked at Aurora, Elkhorn, Marengo & Tonganoxie



COBALT GREY



PEPPERED GRANITE

| Bundle Type | RANDOM |
|--------------------|--------|
| Thickness (mm) | 70MM |
| Dimension mm | |
| Dimension Imperial | |

| | | |
|----------|---------|----------|
| SQFT PER | Bundle | 97.53 |
| | Layer | 12.19000 |
| | Section | - |
| | Stone | 0.32 |

| | | |
|------------|----------|------|
| PER BUNDLE | Layers | 8.00 |
| | Sections | - |

| | | |
|------------------|---------|---|
| SOLDIER LNFT PER | SqFt | - |
| | Section | - |
| | Layer | - |
| | Bundle | - |

| | | |
|-----------------|---------|--------|
| SAILOR LNFT PER | SqFt | 2.34 |
| | Section | - |
| | Layer | 28.49 |
| | Bundle | 227.95 |

| | | |
|-----------|---------|--------|
| UNITS PER | SqFt | 3.12 |
| | Section | - |
| | Bundle | 304.00 |

| | | |
|---------|---------|-------|
| LBS PER | Layer | 378 |
| | Section | - |
| | Bundle | 3,022 |

3 UNIT RANDOM BUNDLE



LARGE RECTANGLE
12 x 5¹/₈ x 2³/₄"
305 x 130 x 70mm
88 units/Bundle
.43 Sq.Ft./Stone



MEDIUM RECTANGLE
9 x 5¹/₈ x 2³/₄"
230 x 130 x 70mm
88 units/Bundle
.32 Sq.Ft./Stone



SMALL RECTANGLE
7 x 5¹/₈ x 2³/₄"
175 x 130 x 70mm
128 units/Bundle
.25 Sq.Ft./Stone

ADVANTAGES

Granite, Quartz and Marble surface materials

PERMEABLE

Can be installed to allow water to flow through

DRIVE FRIENDLY

Can handle vehicular loads

ENotes: **SOLD IN FULL BUNDLES ONLY** and is produced and sold on a required, refundable skid. **Important:** A urethane rubber paver mat must be used to prevent scuffing when compacting. For permeable installations, Unilock recommends using granite chips for joint filler. For traditional applications, please refer to the Polymeric Sand Best Practices on page 96 and Important Notice on page 99. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. TBC CH

Stocked at Aurora, Elkhorn & Tonganoxie



NATURAL

| Bundle Type | | SINGLE |
|--------------------|--|----------------------------|
| Thickness (mm) | | 80MM |
| Dimension mm | | 400mm x 600mm x 80mm |
| Dimension Imperial | | 15 3/4" x 23 5/8" x 3 1/8" |

| | | |
|----------|---------|----------|
| SQFT PER | Bundle | 80.00 |
| | Layer | 10.00000 |
| | Section | - |
| | Stone | 2.50 |

| | | |
|------------|----------|------|
| PER BUNDLE | Layers | 8.00 |
| | Sections | - |

| | | |
|------------------|---------|---|
| SOLDIER LNFT PER | SqFt | - |
| | Section | - |
| | Layer | - |
| | Bundle | - |

| | | |
|-----------------|---------|---|
| SAILOR LNFT PER | SqFt | - |
| | Section | - |
| | Layer | - |
| | Bundle | - |

| | | |
|-----------|---------|-------|
| UNITS PER | SqFt | 0.40 |
| | Section | - |
| | Bundle | 32.00 |

| | | |
|---------|---------|-------|
| LBS PER | Layer | 249 |
| | Section | - |
| | Bundle | 1,995 |



STANDARD
23⁵/₈ x 15³/₄ x 3¹/₈"
600 x 400 x 80mm

ADVANTAGES

PERMEABLE

Can be installed to allow water to flow through

DRIVE FRIENDLY

Can handle vehicular loads

Notes: **SOLD IN FULL BUNDLES ONLY** and is produced and sold on a required, refundable skid. All measurements are nominal. Contact Unilock for more information.

Internal Use Only, TFS CH

Stocked at Aurora, Elkhorn, Marengo & Tonganoxie



FRENCH GREY



MIDNIGHT SKY
4x8 60mm Available



SUMMER WHEAT



WINTER MARVEL

| Bundle Type | RANDOM | SINGLE | SINGLE |
|--------------------|--------|----------------------------|--------------------------|
| | | XL | 4 X 8 |
| Thickness (mm) | 60MM | 60MM | 60MM |
| Dimension mm | | 540mm x 900mm x 60mm | 100mm x 200mm x 60mm |
| Dimension Imperial | | 21 1/4" x 35 1/2" x 2 3/8" | 3 7/8" x 7 7/8" x 2 3/8" |

| | | | | |
|----------|---------|----------|----------|----------|
| SQFT PER | Bundle | 94.14 | 104.60 | 106.20 |
| | Layer | 10.46000 | 10.46000 | 11.80000 |
| | Section | - | - | 17.70 |
| | Stone | 1.31 | 5.23 | 0.22 |

| | | | | |
|------------|----------|------|-------|------|
| PER BUNDLE | Layers | 9.00 | 10.00 | 9.00 |
| | Sections | - | - | 6.00 |

| | | | | |
|------------------|---------|---|-------|--------|
| SOLDIER LNFT PER | SqFt | - | 0.34 | 1.50 |
| | Section | - | - | 26.57 |
| | Layer | - | 3.54 | 17.72 |
| | Bundle | - | 35.43 | 159.45 |

| | | | | |
|-----------------|---------|-------|-------|--------|
| SAILOR LNFT PER | SqFt | 0.82 | 0.56 | 3.00 |
| | Section | - | - | 53.15 |
| | Layer | 8.61 | 5.91 | 35.43 |
| | Bundle | 77.51 | 59.06 | 318.90 |

| | | | | |
|-----------|---------|-------|-------|--------|
| UNITS PER | SqFt | 0.76 | 0.19 | 4.58 |
| | Section | - | - | 81.00 |
| | Bundle | 72.00 | 20.00 | 486.00 |

| | | | | |
|---------|---------|-------|-------|-------|
| LBS PER | Layer | 292 | 293 | 317 |
| | Section | - | - | 475 |
| | Bundle | 2,628 | 2,929 | 2,852 |

3 UNIT RANDOM BUNDLE



LARGE RECTANGLE
21 1/8" x 14 1/4" x 2 3/8"
540 x 360 x 60mm
18 units/Bundle
2.093 Sq.Ft./Stone



SQUARE
14 1/4" x 14 1/4" x 2 3/8"
360 x 360 x 60mm
27 units/Bundle
1.395 Sq.Ft./Stone



SMALL RECTANGLE
14 1/4" x 7 1/8" x 2 3/8"
360 x 180 x 60mm
27 units/Bundle
.698 Sq.Ft./Stone



4 X 8 RECTANGLE
7 1/8" x 3 1/8" x 2 3/8"
200 x 100 x 60mm
Midnight Sky only



XL UNIT
35 1/2" x 21 1/4" x 2 3/8"
900 x 540 x 60mm
Summer Wheat and French Grey only

ADVANTAGES

EASYCLEAN™

Factory sealed to provide integral surface protection from stains

COLORFUSION™

Subtly mottled color finish

PEDESTRIAN FRIENDLY

Only 4x8 60mm pavers are suitable for vehicular applications

Notes: **SOLD IN FULL BUNDLES ONLY** and is produced and sold on a required, refundable skid. **Only 4x8 60mm pavers are suitable for vehicular applications.** Important: A urethane rubber paver mat must be used to prevent scuffing when compacting. Please refer to the Sealer and Polysand Best Practices on page 96, and Important Notice on page 99. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. All measurements are nominal.

Internal Use Only. UMB ON

COMING IN 2021 - NEW SIZES



FRENCH GREY



MIDNIGHT SKY



SUMMER WHEAT



WINTER MARVEL

Chart info to be updated in NAV - coming soon

| Bundle Type | RANDOM | SINGLE |
|--------------------|--------|----------------------------|
| | | XL |
| Thickness (mm) | 60MM | 60MM |
| Dimension mm | | 570mm x 950mm x 60mm |
| Dimension Imperial | | 22 1/2" x 37 1/2" x 2 3/8" |

| | | | |
|----------|---------|---|---|
| SQFT PER | Bundle | | |
| | Layer | | |
| | Section | - | - |
| | Stone | | |




| | | | |
|------------|----------|---|---|
| PER BUNDLE | Layers | | 0 |
| | Sections | - | - |

| | | | |
|------------------|---------|---|-------|
| SOLDIER LNFT PER | SqFt | - | 0.34 |
| | Section | - | - |
| | Layer | - | 3.54 |
| | Bundle | - | 35.43 |

| | | | |
|-----------------|---------|-------|-------|
| SAILOR LNFT PER | SqFt | 0.82 | 0.56 |
| | Section | - | - |
| | Layer | 8.61 | 5.91 |
| | Bundle | 77.51 | 59.06 |

| | | | |
|-----------|---------|-------|-------|
| UNITS PER | SqFt | 0.76 | 0.19 |
| | Section | - | - |
| | Bundle | 72.00 | 20.00 |

| | | | |
|---------|---------|-------|-------|
| LBS PER | Layer | 292 | 293 |
| | Section | - | - |
| | Bundle | 2,628 | 2,929 |

| 3 UNIT RANDOM BUNDLE | |
|--|---|
|  | LARGE RECTANGLE 22 1/2 x 15 x 2 3/8" 560 x 380 x 60mm 20 units/Bundle 2.331 Sq.Ft./Stone |
|  | SQUARE 15 x 15 x 2 3/8" 380 x 380 x 60mm 30 units/Bundle 1.554 Sq.Ft./Stone |
|  | SMALL RECTANGLE 15 x 7 1/2 x 2 3/8" 380 x 190 x 60mm 30 units/Bundle .77 Sq.Ft./Stone |

| | |
|--|---|
|  | XL UNIT 37 1/2 x 22 1/2 x 2 3/8" 950 x 570 x 60mm Summer Wheat and French Grey only |
|--|---|

ADVANTAGES

EASYSKID™

Factory sealed to provide integral surface protection from stains

COLORFUSION™

Subtly mottled color finish

PEDESTRIAN FRIENDLY

Not recommended for vehicular use

Notes: **SOLD IN FULL BUNDLES ONLY** and is produced and sold on a required, refundable skid. **Important: A urethane rubber paver mat must be used to prevent scuffing when compacting.** Please refer to the Sealer and Polysand Best Practices on page 96, and Important Notice on page 99. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. All measurements are nominal.

Internal Use Only. UMB ON



FRENCH GREY



MIDNIGHT SKY



WINTER MARVEL

| Bundle Type | SINGLE |
|--------------------|---------------------------|
| | 4 X 12 |
| Thickness (mm) | 80MM |
| Dimension mm | 100mm x 300mm x 80mm |
| Dimension Imperial | 3 7/8" x 11 7/8" x 3 1/8" |



4 X 12 RECTANGLE
11 7/8" x 3 7/8" x 3 1/8"
300 x 100 x 80mm

| | | |
|----------|---------|-------|
| SQFT PER | Bundle | 93.00 |
| | Layer | 11.63 |
| | Section | - |
| | Stone | 0.75 |

| | | |
|------------|----------|---|
| PER BUNDLE | Layers | |
| | Sections | - |

Chart info to be updated in NAV - coming soon

| | | |
|------------------|---------|---|
| SOLDIER LNFT PER | SqFt | |
| | Section | - |
| | Layer | |
| | Bundle | |

| | | |
|-----------------|---------|---|
| SAILOR LNFT PER | SqFt | |
| | Section | - |
| | Layer | |
| | Bundle | |

| | | |
|-----------|---------|---|
| UNITS PER | SqFt | |
| | Section | - |
| | Bundle | |

| | | |
|---------|---------|-------|
| LBS PER | Layer | |
| | Section | - |
| | Bundle | 3,403 |

ADVANTAGES

EASYSOAK™

Factory sealed to provide integral surface protection from stains

COLORFUSION™

Subtly mottled color finish

PERMEABLE

Can be installed to allow water to flow through

DRIVE FRIENDLY

Can handle vehicular loads

Notes: **SOLD IN FULL BUNDLES ONLY** and is produced and sold on a required, refundable skid. **Important: A urethane rubber paver mat must be used to prevent scuffing when compacting.** Please refer to the Sealer and Polysand Best Practices on page 96, and Important Notice on page 99. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. All measurements are nominal.

Internal Use Only. UMB ON

Stocked at Aurora, Marengo, Elkhorn & Tonganoxie



GRANITE



RIVER **NEW**



SIERRA

| Bundle Type | RANDOM | SINGLE |
|--------------------|-------------|----------------------|
| | | RECTANGLE |
| Thickness (mm) | 70MM | 70MM |
| Dimension mm | | 127mm x 254mm x 70mm |
| Dimension Imperial | | 5" x 10" x 2 3/4" |

| | | | |
|----------|---------|----------|----------|
| SQFT PER | Bundle | 94.19 | 94.19 |
| | Layer | 11.77000 | 11.77000 |
| | Section | - | - |
| | Stone | 0.59 | 0.34 |

| | | | |
|------------|----------|------|------|
| PER BUNDLE | Layers | 8.00 | 8.00 |
| | Sections | - | - |

| | | | |
|------------------|---------|---|-------|
| SOLDIER LNFT PER | SqFt | - | 0.71 |
| | Section | - | - |
| | Layer | - | 8.33 |
| | Bundle | - | 66.67 |

| | | | |
|-----------------|---------|--------|--------|
| SAILOR LNFT PER | SqFt | 1.24 | 1.42 |
| | Section | - | - |
| | Layer | 14.57 | 16.67 |
| | Bundle | 116.56 | 133.33 |

| | | | |
|-----------|---------|--------|--------|
| UNITS PER | SqFt | 1.70 | 2.97 |
| | Section | - | - |
| | Bundle | 160.00 | 280.00 |

| | | | |
|---------|---------|-------|-------|
| LBS PER | Layer | 368 | 361 |
| | Section | - | - |
| | Bundle | 2,940 | 2,884 |

3 UNIT RANDOM BUNDLE



LARGE RECTANGLE
15 x 10 x 2 3/4"
380 x 254 x 70mm
32 units/Bundle
1.01 Sq.Ft./Stone



SQUARE
10 x 10 x 2 3/4"
254 x 254 x 70mm
56 units/Bundle
.67 Sq.Ft./Stone



RECTANGLE
10 x 5 x 2 3/4"
254 x 127 x 70mm
72 units/Bundle
.34 Sq.Ft./Stone



RECTANGLE
10 x 5 x 2 3/4"
254 x 127 x 70mm

ADVANTAGES

CLASSIC COAT

Factory sealed to protect surface texture and color

DRIVE FRIENDLY

Can handle vehicular loads

Notes: **SOLD IN FULL BUNDLES ONLY** and is produced and sold on a required, refundable skid.
Important: A urethane rubber paver mat must be used to prevent scuffing when compacting.
All measurements are nominal. Contact Unilock for more information.

Internal Use Only. WPT CH